

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 1: IDENTIFIKACIJA SNOVI/ZMESI IN DRUŽBE/PODJETJA

- 1.1 Identifikator izdelka:** Amarella LAUNDRY PERFUME VANWOOD
- Drugi načini identifikacije:**
Ni relevantno
- 1.2 Pomembne identificirane uporabe snovi ali zmesi in odsvetovane uporabe:**
Pomembne uporabe (potrošniška uporaba): Parfum za perilo.
Odsvetovane uporabe: Vse uporabe, ki niso navedene v tem oddelku ali v oddelku 7.3
- 1.3 Podrobnosti o dobavitelju varnostnega lista:**
MB ELIX sp. z oo sp.k.
ul. Skarżyńskiego 26
54-530 Wrocław - Poljska
Telefon: 0048 71 387 85 33 - Fax: 0048 71 722 29 68
lab@elix.pl
www.elixscent.com
- 1.4 Telefonska številka za nujne primere:** 0048 71 387 85 33 (8.00-16.00)

ODDELEK 2: UGOTOVITEV NEVARNOSTI

- 2.1 Razvrstitev snovi ali zmesi:**
Uredba CLP (ES) št. 1272/2008:
Razvrstitev tega izdelka je bila izvedena v skladu z Uredbo CLP (ES) št. 1272/2008.
Aquatic Chronic 3: Nevarno za vodno okolje, dolgoročna nevarnost, kategorija 3, H412
- 2.2 Elementi etikete:**
Uredba CLP (ES) št. 1272/2008:
Stavki o nevarnosti:
H412 - Škodljivo za vodne organizme, z dolgotrajnimi učinki.
Previdnostni stavki:
P101: Če je potreben zdravniški nasvet, mora biti na voljo posoda ali etiketa proizvoda.
P102: Hraniti zunaj dosega otrok.
P501: Odstraniti vsebino/posodo v skladu s sistemom ločenega zbiranja odpadkov, ki velja v vaši občini.
Dopolnilne informacije:
EUH208: Vsebuje (ime snovi, ki povzroča preobčutljivost). Lahko povzroči alergijski odziv.
- 2.3 Druge nevarnosti:**
Izdelek ne izpolnjuje meril PBT/vPvB
Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

ODDELEK 3: SESTAVA/PODATKI O SESTAVINAH

- 3.1 Snov:**
Ni relevantno
- 3.2 Zmes:**
Kemijski opis: Zmes, sestavljena iz kemijskih izdelkov
Sestavine:
V skladu s Prilogo II k Uredbi (ES) št. 1907/2006 (točka 3) izdelek vsebuje:









Identifikacija	Kemijsko ime/Razvrstitev	Koncentracija
CAS: 34590-94-8 ES: 252-104-2 Index: Ni relevantno REACH: 01-2119450011-60-XXXX	Dipropilenglikol metileter(1) Uredba 1272/2008	Ni razvrščeno 5 - <7,5 %

(1) Snov z mejno vrednostjo izpostavljenosti na delovnem mestu na ravni Unije

(2) Snovi, ki predstavljajo nevarnost za zdravje ali okolje in izpolnjujejo merila iz Uredbe (EU) št. 2020/878

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 3: SESTAVA/PODATKI O SESTAVINAH (nadaljevanje)

Identifikacija	Kemijsko ime/Razvrstitev	Koncentracija
CAS: 100-79-8 ES: 202-888-7 Index: Ni relevantno REACH: 01-2120066005-66-XXXX	2,2-dimethyl-1,3-dioxolan-4-ylmetanol(2) Uredba 1272/2008 Eye Irrit. 2: H319 - Povzroča hudo draženje oči.	Lastna razvrstitev  5 - <7,5 %
CAS: 64-17-5 ES: 200-578-6 Index: 603-002-00-5 REACH: 01-2119457610-43-XXXX	etanol(2) Uredba 1272/2008 Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Lahko vnetljiva tekočina in hlapi.	Lastna razvrstitev  4 - <5 %
CAS: 54464-57-2 ES: 259-174-3 Ni relevantno Index: relevantno REACH: 01-2119489989-04-xxxx	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one(2) Uredba 1272/2008 Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Lahko povzroči alergijski odziv kože.	Lastna razvrstitev  0,75 - <1 %
CAS: 91-64-5 ES: 202-086-7 Ni relevantno Index: relevantno REACH: 01-2119949300-45-XXXX	Coumarin(2) Uredba 1272/2008 Acute Tox. 4: H302; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	Lastna razvrstitev  0,25 - <0,5 %
CAS: 28219-61-6 ES: 248-908-8 Ni relevantno Index: relevantno REACH: 01-2119457290-43-XXXX	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol(2) Uredba 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319 - Povzroča hudo draženje oči.	Lastna razvrstitev  0,1 - <0,25 %
CAS: 78-93-3 ES: 201-159-0 Index: 606-002-00-3 REACH: 01-2119457290-43-XXXX	Butanone(1) Uredba 1272/2008 Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Nevarno	ATP CLP00  0,036 - <0,1 %
CAS: 2634-33-5 ES: 220-120-9 Index: 613-088-00-6 REACH: 01-2120761540-60-XXXX	1,2-benzotiazol-3(2H)-on(2) Uredba 1272/2008 Acute Tox. 2: H330; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Lahko povzroči alergijski odziv kože.	ATP ATP21  0,01 - <0,036 %
CAS: 141-78-6 ES: 205-500-4 Index: 607-022-00-5 REACH: 01-2119475103-46-XXXX	Ethyl acetate(1) Uredba 1272/2008 Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Lahko povzroči zaspanost ali omotico.	ATP CLP00  0,01 - <0,036 %

(1) Snov z mejno vrednostjo izpostavljenosti na delovnem mestu na ravni Unije

(2) Snovi, ki predstavljajo nevarnost za zdravje ali okolje in izpolnjujejo merila iz Uredbe (EU) št. 2020/878

Za več informacij o nevarnostih snovi glejte oddelke 11, 12 in 16.

Druge informacije:

Identifikacija	Posebna mejna koncentracija
etanol CAS: 64-17-5 ES: 200-578-6	% (w/w) >=50: Eye Irrit. 2 - H319
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	% (w/w) >=0,036: Skin Sens. 1A - H317

Ocena akutne strupenosti za snov iz dela 3 Priloge VI k Uredbi (ES) št. 1272/2008 ali določena v skladu s Prilogo I k navedeni uredbi:

Identifikacija	Akutna strupenost	Vrsta	
etanol CAS: 64-17-5 ES: 200-578-6	LD50 oralno	Ni relevantno	
	LD50 dermalno	Ni relevantno	
	LC50 vdihavanje (hlapi)	124,7 mg/L	Podgana
Coumarin CAS: 91-64-5 ES: 202-086-7	LD50 oralno	500 mg/kg	Podgana
	LD50 dermalno	Ni relevantno	
	LC50 vdihavanje (hlapi)	Ni relevantno	
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	LD50 oralno	450 mg/kg	
	LD50 dermalno	Ni relevantno	
	LC50 vdihavanje (hlapi)	0,5 mg/L	

ODDELEK 4: UKREPI ZA PRVO POMOČ

4.1 Opis ukrepov za prvo pomoč:

- NADALJEVANJE NA NASLEDNJI STRANI -

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 4: UKREPI ZA PRVO POMOČ (nadaljevanje)

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

Pri vdihavanju:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air in keep at rest. Request medical attention if symptoms persist.

Pri stiku s kožo:

Remove contaminated clothing in footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

Pri stiku z očmi:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

Pri zaužitju/vdihavanju:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth in throat, as they may have been affected during ingestion.

4.2 Najpomembnejši simptomi in učinki, akutni in zapozneli:

Akutni in zapozneli učinki so navedeni v oddelkih 2 in 11.

4.3 Navedba kakršne koli takojšnje medicinske oskrbe in posebnega zdravljenja:

Ni relevantno

ODDELEK 5: PROTIPOŽARNI UKREPI

5.1 Gasilna sredstva:

Ustrezna gasilna sredstva:

Product is non-flammable under normal conditions of storage, handling in use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire zaščita systems.

Neustrezna gasilna sredstva:

Ni relevantno

5.2 Posebne nevarnosti v zvezi s snovjo ali zmesjo:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Nasvet za gasilce:

Depending on the magnitude of the fire it may be necessary to use full protective clothing in Self Contained Breathing Apparatus. Minimum emergency facilities in equipment should be available (fire blankets, portable first aid kit,...)

Dodatne določbe:

Act in accordance with the Internal Emergency Plan in the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers in tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

ODDELEK 6: UKREPI OB NENAMERNIH IZPUSTIH

6.1 Osebni varnostni ukrepi, zaščitna oprema in postopki v sili:

Za neizkušeno osebje:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area in keep out those without zaščita. Personal zaščita equipment must be used against potential contact with the spilt product (See section 8).

Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium.

Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, in also ensuring that all surfaces are connected to the ground.

Za reševalce:

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 6: UKREPI OB NENAMERNIH IZPUSTIH (nadaljevanje)

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Okoljevarstveni ukrepi:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Metode in materiali za zadrževanje in čiščenje:

Priporočljivo je:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent in move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers in manage it according to current nacionalne zakonodaje.

Razlitja v vodo ali morje:

Manjša razlitja:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection in treat the waste in accordance with current regulations.

Večja razlitja:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread in collect the product with suitable mechanical means. Always consult experts before using dispersants in make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Sklicevanje na druge oddelke:

Glejte oddelka 8 in 13.

ODDELEK 7: RAVNANJE IN SKLADIŠČENJE

7.1 Varnostni ukrepi za varno ravnanje:

A.- Splošni varnostni ukrepi za varno uporabo

Comply with the current nacionalne zakonodaje concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness in dispose of using safe methods (section 6).

B.- Tehnična priporočila za preprečevanje požarov in eksplozij

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) in transfer at slow speeds to avoid the

creation of electrostatic charges. Consult section 10 for conditions in materials that should be avoided.

C.- Tehnična priporočila o splošni higieni na delovnem mestu

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Tehnična priporočila za preprečevanje tveganj za okolje

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Pogoji za varno skladiščenje, vključno z nezdružljivostmi:

A.- Posebne zahteve za skladiščenje

Najnižja temp.: 5 °C

Najvišja temp.: 35 °C

Najdaljši čas: 36 mesecev

B.- Splošni pogoji za skladiščenje

Avoid sources of heat, radiation, static electricity in contact with food. For additional information see subsection 10.5

7.3 Posebne končne uporabe:

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA

8.1 Parametri nadzora:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific nacionalne zakonodaje):

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identifikacija	Mejne vrednosti izpostavljenosti na delovnem mestu		
	IOELV (8h)	50 ppm	308 mg/m ³
Dipropilenglikol metileter (1) CAS: 34590-94-8 ES: 252-104-2	IOELV (STEL)		
Butanone CAS: 78-93-3 ES: 201-159-0	IOELV (8h)	200 ppm	600 mg/m ³
	IOELV (STEL)	300 ppm	900 mg/m ³
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	IOELV (8h)	200 ppm	734 mg/m ³
	IOELV (STEL)	400 ppm	1468 mg/m ³

(1) Koža

DNEL (delavci):

Identifikacija		Kratkotrajna izpostavljenost		Dolgotrajna izpostavljenost	
		Sistemski	Lokalni	Sistemski	Lokalni
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	283 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	308 mg/m ³	Ni relevantno
etanol CAS: 64-17-5 ES: 200-578-6	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	343 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	950 mg/m ³	Ni relevantno
Coumarin CAS: 91-64-5 ES: 202-086-7	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,79 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	6,78 mg/m ³	Ni relevantno
Butanone CAS: 78-93-3 ES: 201-159-0	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	1161 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	600 mg/m ³	Ni relevantno
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,966 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	6,81 mg/m ³	Ni relevantno
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	63 mg/kg	Ni relevantno
	Vdihavanje	1468 mg/m ³	1468 mg/m ³	734 mg/m ³	734 mg/m ³

DNEL (splošno prebivalstvo):

Identifikacija		Kratkotrajna izpostavljenost		Dolgotrajna izpostavljenost	
		Sistemski	Lokalni	Sistemski	Lokalni
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	Oralno	Ni relevantno	Ni relevantno	36 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	121 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	37,2 mg/m ³	Ni relevantno
etanol CAS: 64-17-5 ES: 200-578-6	Oralno	Ni relevantno	Ni relevantno	87 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	206 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	114 mg/m ³	Ni relevantno
Coumarin CAS: 91-64-5 ES: 202-086-7	Oralno	Ni relevantno	Ni relevantno	0,39 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,39 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	1,69 mg/m ³	Ni relevantno
Butanone CAS: 78-93-3 ES: 201-159-0	Oralno	Ni relevantno	Ni relevantno	31 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	412 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	106 mg/m ³	Ni relevantno
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,345 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	1,2 mg/m ³	Ni relevantno
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	Oralno	Ni relevantno	Ni relevantno	4,5 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	37 mg/kg	Ni relevantno
	Vdihavanje	734 mg/m ³	734 mg/m ³	367 mg/m ³	367 mg/m ³

PNES:

- NADALJEVANJE NA NASLEDNJI STRANI -

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)

Identifikacija				
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	STP	4168 mg/L	Sladka voda	19 mg/L
	Tla	2,74 mg/kg	Morska voda	1,9 mg/L
	Občasna	190 mg/L	Usedlina (sladka voda)	70,2 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	7,02 mg/kg
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	STP	10 mg/L	Sladka voda	0,2 mg/L
	Tla	2,5 mg/kg	Morska voda	0,2 mg/L
	Občasna	0,09 mg/L	Usedlina (sladka voda)	1,18316 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,1183 mg/kg
etanol CAS: 64-17-5 ES: 200-578-6	STP	580 mg/L	Sladka voda	0,96 mg/L
	Tla	0,63 mg/kg	Morska voda	0,79 mg/L
	Občasna	2,75 mg/L	Usedlina (sladka voda)	3,6 mg/kg
	Oralno	0,38 g/kg	Usedlina (morska voda)	2,9 mg/kg
Coumarin CAS: 91-64-5 ES: 202-086-7	STP	6,4 mg/L	Sladka voda	0,019 mg/L
	Tla	0,018 mg/kg	Morska voda	0,0019 mg/L
	Občasna	0,0142 mg/L	Usedlina (sladka voda)	0,15 mg/kg
	Oralno	0,0307 g/kg	Usedlina (morska voda)	0,015 mg/kg
Butanone CAS: 78-93-3 ES: 201-159-0	STP	709 mg/L	Sladka voda	55,8 mg/L
	Tla	22,5 mg/kg	Morska voda	55,8 mg/L
	Občasna	55,8 mg/L	Usedlina (sladka voda)	284,74 mg/kg
	Oralno	1 g/kg	Usedlina (morska voda)	284,7 mg/kg
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	STP	1,03 mg/L	Sladka voda	0,00403 mg/L
	Tla	3 mg/kg	Morska voda	0,000403 mg/L
	Občasna	0,0011 mg/L	Usedlina (sladka voda)	0,0499 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,00499 mg/kg
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	STP	650 mg/L	Sladka voda	0,24 mg/L
	Tla	0,148 mg/kg	Morska voda	0,024 mg/L
	Občasna	1,65 mg/L	Usedlina (sladka voda)	1,15 mg/kg
	Oralno	0,2 g/kg	Usedlina (morska voda)	0,115 mg/kg

8.2 Nadzor izpostavljenosti:



A.- Ukrepi osebne zaščite, kot je osebna zaščitna oprema

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of zaščita,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Zaščita dihal



If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory zaščita equipment chosen by a qualified professional should be used.

C.- Posebna zaščita rok

Piktogram	PPE	Označevanje	Standard CEN	Opombe
	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability in has therefore to be checked prior to the application.

D.- Zaščita oči in obraza



Piktogram	PPE	Označevanje	Standard CEN	Opombe
	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily in disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

- NADALJEVANJE NA NASLEDNJI STRANI -

Amarella LAUNDRY PERFUME VANWOOD



ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)

E.- Zaščita telesa

Piktogram	PPE	Označevanje	Standard CEN	Opombe
	Delovna oblačila			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Nedrseča delovna obutev		EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Dodatni nujni ukrepi

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Nujni ukrep	Standardi	Nujni ukrep	Standardi
 Varnostni tuš	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Postaja za izpiranje oči	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Nadzor izpostavljenosti okolja:

To comply with environmental zaščita regulations, it is recommended to prevent any spillage of the product in its container. For more detailed information, please refer to subsection 7.1.D.

ODDELEK 9: FIZIKALNE IN KEMIJSKE LASTNOSTI

9.1 Podatki o osnovnih fizikalnih in kemijskih lastnostih:

Za popolne informacije glejte tehnični list izdelka.

Videz:

Fizikalno stanje pri 20 °C:	Tekočina
Videz:	Tekoče
Barva:	Svetlo rumena /amber
Vonj:	Prijeten
Prag vonja:	Ni relevantno *

Hlapnost:

Vrelišče pri atmosferskem tlaku:	Ni relevantno *
Parni tlak pri 20 °C:	2416 Pa
Parni tlak pri 50 °C:	12610,29 Pa (12,61 kPa)
Hitrost izhlapevanja pri 20 °C:	Ni relevantno *

Opis izdelka:

Gostota pri 20 °C:	1030,1 kg/m ³
Relativna gostota pri 20 °C:	1,03
Dinamična viskoznost pri 20 °C:	Ni relevantno *
Kinematična viskoznost pri 20 °C:	Ni relevantno *
Kinematična viskoznost pri 40 °C:	Ni relevantno *
Koncentracija:	Ni relevantno *
pH:	Ni relevantno *
Gostota par pri 20 °C:	Ni relevantno *
Porazdelitveni koeficient n-oktanol/voda pri 20 °C:	Ni relevantno *
Topnost v vodi pri 20 °C:	Ni relevantno *

*Ni relevantno zaradi narave izdelka, ne zagotavlja informacij o lastnostih nevarnosti.

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 9: FIZIKALNE IN KEMIJSKE LASTNOSTI (nadaljevanje)

Topnostne lastnosti:	Ni relevantno *
Temperatura razgradnje:	Ni relevantno *
Tališče/ledišče:	Ni relevantno *
Vnetljivost:	
Plamenišče:	Nevnetljivo (>60 °C)
Vnetljivost (trdno, plin):	Ni relevantno *
Temperatura samovžiga:	Ni relevantno *
Spodnja meja vnetljivosti:	Ni relevantno *
Zgornja meja vnetljivosti:	Ni relevantno *
Značilnosti delcev:	
Mediana ekvivalentnega premera:	Ni relevantno *

9.2 Druge informacije:

Informacije o razredih fizikalnih nevarnosti:

Eksplozivne lastnosti:	Ni relevantno *
Oksidativne lastnosti:	Ni relevantno *
Jedko za kovine:	Ni relevantno *
Toplota zgorevanja:	Ni relevantno *
Aerosoli – skupni odstotek (mase) vnetljivih sestavin:	Ni relevantno *

Druge varnostne značilnosti:

Površinska napetost pri 20 °C:	Ni relevantno *
Lomni količnik:	Ni relevantno *

*Ni relevantno zaradi narave izdelka, ne zagotavlja informacij o lastnostih nevarnosti.

ODDELEK 10: OBSTOJNOST IN REAKTIVNOST

10.1 Reaktivnost:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Kemijska obstojnost:

Chemically stable under the indicated conditions of storage, handling in use.

10.3 Možnost nevarnih reakcij:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Pogoji, ki se jim je treba izogniti:

Applicable for handling in storage at room temperature:

Udarec in trenje	Stik z zrakom	Dvig temperature	Sončna svetloba	Vlažnost
Ni relevantno	Ni relevantno	Previdnost	Previdnost	Ni relevantno

10.5 Nezdružljivi materiali:

Kislina	Voda	Oksidativni materiali	Vnetljivi materiali	Ostalo
Izogibajte se močnim kislinam	Ni relevantno	Izogibajte se neposrednemu udarcu	Ni relevantno	Izogibajte se alkalijam ali močnim bazam

10.6 Nevarni produkti razgradnje:

See subsection 10.3, 10.4 in 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide in other organic compounds.

ODDELEK 11: TOKSIKOLOŠKI PODATKI

11.1 Informacije o razredih nevarnosti, opredeljenih v Uredbi (ES) št. 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 11: TOKSIKOLOŠKI PODATKI (nadaljevanje)

Vsebuje glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health.

Nevarnoos health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Zaužitje (akutni učinek):

- Akutna strupenost: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Vdihavanje (akutni učinek):

- Akutna strupenost : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Stik s kožo in očmi (akutni učinek):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

D- Učinki CMR (rakotvornost, mutagenost in strupenost za razmnoževanje):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: etanol (1); propan-2-ol (3); Coumarin (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Preobčutljivostni učinki:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Koža: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specifična strupenost za ciljne organe (STOT) – enkratna izpostavljenost:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specifična strupenost za ciljne organe (STOT) – ponavljajoča izpostavljenost:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Koža: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

H- Nevarnost pri vdihavanju:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Druge informacije:

Ni relevantno

Specifične toksikološke informacije o snoveh:

Identifikacija	Akutna strupenost		Vrsta
	LD50 oralno	6200 mg/kg	
etanol CAS: 64-17-5 ES: 200-578-6	LD50 dermalno	20000 mg/kg	Kunec
	LC50 vdihavanje (hlapi)	124,7 mg/L	Podgana

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 11: TOKSIKOLOŠKI PODATKI (nadaljevanje)

Identifikacija	Akutna strupenost		Vrsta
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	LD50 oralno	>5000 mg/kg	Podgana
	LD50 dermalno	9510 mg/kg	Kunec
	LC50 vdihavanje		
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	LD50 oralno	7000 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje		
Coumarin CAS: 91-64-5 ES: 202-086-7	LD50 oralno	500 mg/kg	Podgana
	LD50 dermalno	>5000 mg/kg	
	LC50 vdihavanje		
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol CAS: 28219-61-6 ES: 248-908-8	LD50 oralno	>5000 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje		
Butanone CAS: 78-93-3 ES: 201-159-0	LD50 oralno	4000 mg/kg	Podgana
	LD50 dermalno	6400 mg/kg	Kunec
	LC50 vdihavanje (hlapi)	23,5 mg/L (4 h)	Podgana
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	LD50 oralno	450 mg/kg	
	LD50 dermalno		
	LC50 vdihavanje (hlapi)	0,5 mg/L	
	LC50 vdihavanje dust	0,05 mg/L	
	LC50 vdihavanje mist	0,05 mg/L	
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	LD50 oralno	4100 mg/kg	Podgana
	LD50 dermalno	20000 mg/kg	Kunec
	LC50 vdihavanje		

11.2 Informacije o drugih nevarnostih:

Lastnosti endokrinih motilcev

Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

Druge informacije

Ni relevantno

ODDELEK 12: EKOLOŠKI PODATKI

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Strupenost:

Akutna strupenost:

Identifikacija	Koncentracija		Vrsta	Vrsta
	LC50	EC50		
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	LC50	10000 mg/L (96 h)	Pimephales promelas	Ribe
	EC50	1919 mg/L (48 h)	Daphnia magna	Raki
	EC50	Ni relevantno		
etanol CAS: 64-17-5 ES: 200-578-6	LC50	11000 mg/L (96 h)	Alburnus alburnus	Ribe
	EC50	9268 mg/L (48 h)	Daphnia magna	Raki
	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Alge
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one CAS: 54464-57-2 ES: 259-174-3	LC50	>0.1 - 1 mg/L (96 h)		Ribe
	EC50	>0.1 - 1 mg/L (48 h)		Raki
	EC50	>0.1 - 1 mg/L (72 h)		Alge
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol CAS: 28219-61-6 ES: 248-908-8	LC50	1,1 mg/L (96 h)	Lepomis macrochirus	Ribe
	EC50	0,63 mg/L (48 h)	Daphnia magna	Raki
	EC50	2,5 mg/L (96 h)	Selenastrum capricornutum	Alge
Butanone CAS: 78-93-3 ES: 201-159-0	LC50	3220 mg/L (96 h)	Pimephales promelas	Ribe
	EC50	5091 mg/L (48 h)	Daphnia magna	Raki
	EC50	4300 mg/L (168 h)	Scenedesmus quadricauda	Alge

- NADALJEVANJE NA NASLEDNJI STRANI -

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 12: EKOLOŠKI PODATKI (nadaljevanje)

Identifikacija	Koncentracija		Vrsta	Vrsta
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	LC50	2,2 mg/L (96 h)	Oncorhynchus mykiss	Ribe
	EC50	3 mg/L (48 h)	Daphnia magna	Raki
	EC50	0,067 mg/L (72 h)	Pseudokirchneriella subcapitata	Alge
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	LC50	230 mg/L (96 h)	Pimephales promelas	Ribe
	EC50	717 mg/L (48 h)	Daphnia magna	Raki
	EC50	3300 mg/L (48 h)	Scenedesmus subspicatus	Alge

Kronična strupenost:

Identifikacija	Koncentracija		Vrsta	Vrsta
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	NOEC	Ni relevantno		
	NOEC	0,5 mg/L	Daphnia magna	Raki
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	NOEC	Ni relevantno		
	NOEC	10 mg/L	Daphnia magna	Raki
etanol CAS: 64-17-5 ES: 200-578-6	NOEC	250 mg/L	Danio rerio	Ribe
	NOEC	2 mg/L	Ceriodaphnia dubia	Raki
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	NOEC	9,65 mg/L	Pimephales promelas	Ribe
	NOEC	2,4 mg/L	Daphnia magna	Raki

12.2 Obstočnost in razgradljivost:

Specifične informacije o snovi:

Identifikacija	Razgradljivost		Biorazgradljivost	
			Koncentracija	Ni relevantno
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	BOD5	Ni relevantno	Obdobje	28 dni
	COD	0 g O2/g	% biorazgradljivo	73 %
	BOD5/COD	Ni relevantno	Koncentracija	100 mg/L
etanol CAS: 64-17-5 ES: 200-578-6	BOD5	Ni relevantno	Obdobje	14 dni
	COD	Ni relevantno	% biorazgradljivo	89 %
	BOD5/COD	Ni relevantno	Koncentracija	100 mg/L
Coumarin CAS: 91-64-5 ES: 202-086-7	BOD5	Ni relevantno	Obdobje	14 dni
	COD	Ni relevantno	% biorazgradljivo	100 %
	BOD5/COD	Ni relevantno	Koncentracija	100 mg/L
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol CAS: 28219-61-6 ES: 248-908-8	BOD5	Ni relevantno	Obdobje	28 dni
	COD	Ni relevantno	% biorazgradljivo	0 %
	BOD5/COD	Ni relevantno	Koncentracija	100 mg/L
Butanone CAS: 78-93-3 ES: 201-159-0	BOD5	2,03 g O2/g	Obdobje	20 dni
	COD	2,31 g O2/g	% biorazgradljivo	89 %
	BOD5/COD	0,88	Koncentracija	100 mg/L
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	BOD5	Ni relevantno	Obdobje	28 dni
	COD	Ni relevantno	% biorazgradljivo	0 %
	BOD5/COD	Ni relevantno	Koncentracija	100 mg/L
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	BOD5	1,36 g O2/g	Obdobje	14 dni
	COD	1,69 g O2/g	% biorazgradljivo	83 %
	BOD5/COD	0,8	Koncentracija	100 mg/L

12.3 Zmožnost kopičenja v organizmih:

Specifične informacije o snovi:

Identifikacija	Potencial bioakumulacije	
	BCF	Pow Log
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	1	-0.06
		Nizek
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	1	
		Nizek
etanol CAS: 64-17-5 ES: 200-578-6	3	-0.31
		Nizek

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 12: EKOLOŠKI PODATKI (nadaljevanje)

Identifikacija	Potencial bioakumulacije	
	BCF	Pow Log
Coumarin CAS: 91-64-5 ES: 202-086-7	10	1.39
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol CAS: 28219-61-6 ES: 248-908-8	65	4.4
Butanone CAS: 78-93-3 ES: 201-159-0	3	0.29
1,2-benzotiazol-3(2H)-on CAS: 2634-33-5 ES: 220-120-9	2	1.45
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	30	0.73

12.4 Mobilnost v tleh:

Identifikacija	Absorpcija/desorpcija		Hlapnost	
	Koc	Površinska napetost	Henry	Pa·m ³ /mol
etanol CAS: 64-17-5 ES: 200-578-6	1	2,339E-2 N/m (25 °C)	Henry	4,61E-1 Pa·m ³ /mol
	Zelo visok		Suha tla	Da
			Vlažna tla	Da
Coumarin CAS: 91-64-5 ES: 202-086-7	42		Henry	Ni relevantno
	Zelo visok		Suha tla	Ni relevantno
	Ni relevantno		Vlažna tla	Ni relevantno
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol CAS: 28219-61-6 ES: 248-908-8	870		Henry	Ni relevantno
	Nizek		Suha tla	Ni relevantno
	Ni relevantno		Vlažna tla	Ni relevantno
Butanone CAS: 78-93-3 ES: 201-159-0	30	2,396E-2 N/m (25 °C)	Henry	5,77 Pa·m ³ /mol
	Zelo visok		Suha tla	Da
			Vlažna tla	Da
Ethyl acetate CAS: 141-78-6 ES: 205-500-4	59	2,324E-2 N/m (25 °C)	Henry	13,58 Pa·m ³ /mol
	Zelo visok		Suha tla	Da
			Vlažna tla	Da

12.5 Rezultati ocene PBT in vPvB:

Izdelek ne izpolnjuje meril PBT/vPvB

12.6 Lastnosti endokrinih motilcev:

Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

12.7 Drugi škodljivi učinki:

Ni opisano

ODDELEK 13: ODSTRANJEVANJE

13.1 Metode ravnanja z odpadki:

Koda	Opis	Razred odpadka (Uredba (EU) št. 1357/2014)
20 01 29*	detergents containing hazardous substances	Hazardous

Vrsta odpadka (Uredba (EU) št. 1357/2014):

HP14 Ecotoxic

Ravnanje z odpadki (odstranjevanje in ocena):

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 13: ODSTRANJEVANJE (nadaljevanje)

Consult the authorized waste service manager on the assessment in disposal operations in accordance with Annex 1 in Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code in in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Predpisi o ravnanju z odpadki:

In accordance with Annex II of Regulation (EC) Ne 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community nacionalne zakonodaje: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) Ne 1357/2014

ODDELEK 14: PODATKI O PREVOZU

Ta izdelek ni reguliran za prevoz (ADR/RID, IMDG, IATA)

ODDELEK 15: ZAKONSKO PREDPISANI PODATKI

15.1 Safety, health in environmental regulations/nacionalne zakonodaje specific for the substance or mixture:

- Uredba (ES) št. 528/2012: vsebuje konzervans za zaščito prvotnih lastnosti tretiranega izdelka. Vsebuje 1,2- benzisotiazol-3(2H)-one.

- Article 95, REGULATION (EU) No 528/2012: *ethanol (64-17-5) - PT: (1,2,4,6) ; 1,2-benzisotiazol-3(2H)-one (2634-33-5)- PT: (2,6,9,11,12,13)*

- Candidatesubstances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant

- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant

- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant

- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant

- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Uredba (ES) št. 648/2004 o detergentih:

V skladu s to uredbo izdelek ustreza naslednjemu:

Označevanje vsebine:

Sestavina
dišave

Allergenic fragrances: 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES), 3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol (3-METHYL-5-(2,2,3-TRIMETHYL-3-CYCLOPENTENYL)PENT-4-EN-2-OL), benzaldehyde (BENZALDEHYDE), Benzyl benzoate (BENZYL BENZOATE), Benzyl cinnamate (BENZYL CINNAMATE), Bergamot oil (C. bergamia melarossa) (CITRUS AURANTIUM BERGAMIA FRUIT OIL), Cedryl methyl ketone (ACETYLCEDRENE), Clove, ext. (EUGENIA CARYOPHYLLUS FLOWER OIL), Coumarin (COUMARIN), Vanillin (VANILLIN).
Konzervansi: 1,2-benzisotiazol-3(2H)-on (BENZISOTHAZOLINONE).

Omejitve trženja in uporabe nekaterih nevarnih snovi in zmesi (Priloga XVII REACH, itd.):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps in ashtrays,

—tricks in jokes,

—games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Posebne določbe o varovanju ljudi ali okolja:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage in disposal of this product.

Other nacionalne zakonodaje:

The product could be affected by sectorial nacionalne zakonodaje

- Regulation (EC) Ne 1223/2009 of the European Parliament in of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) Ne 648/2004 of the European Parliament in of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) Ne 907/2006 of 20 June 2006 amending Regulation (EC) Ne 648/2004 of the European Parliament in of the Council on detergents, in order to adapt Annexes III in VII

- Commission Regulation (EC) Ne 551/2009 of 25 June 2009 amending Regulation (EC) Ne 648/2004 of the European Parliament in of the Council on detergents, in order to adapt Annexes V in VI thereto (surfactant derogation)

Amarella LAUNDRY PERFUME VANWOOD

ODDELEK 15: ZAKONSKO PREDPISANI PODATKI (nadaljevanje)

15.2 Ocena kemijske varnosti:

Dobavitelj ni izvedel ocene kemijske varnosti.

ODDELEK 16: DRUGI PODATKI

Zakonodaja o varnostnih listih:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) Ne 1907/2006

(COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Ni relevantno

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes in refer to the individual components which appear in section 3

Uredba CLP (ES) št. 1272/2008:

Acute Tox. 2: H330 - Smrtno pri vdihavanju.

Acute Tox. 4: H302 - Zdravju škodljivo pri zaužitju.

Aquatic Acute 1: H400 - Zelo strupeno za vodne organizme.

Aquatic Chronic 1: H410 - Zelo strupeno za vodne organizme, z dolgotrajnimi učinki.

Eye Irrit. 2: H319 - Povzroča hudo draženje oči.

Flam. Liq. 2: H225 - Lahko vnetljiva tekočina in hlapi.

Skin Irrit. 2: H315 - Povzroča draženje kože.

Skin Sens. 1: H317 - Lahko povzroči alergijski odziv kože.

Skin Sens. 1A: H317 - Lahko povzroči alergijski odziv kože.

Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.

STOT SE 3: H336 - Lahko povzroči zaspanost ali omotico.

Postopek razvrstitve:

Aquatic Chronic 3: Calculation method

Nasveti glede usposabljanja:

Training is recommended in order to prevent industrial risks for staff using this product in to facilitate their comprehension in interpretation of this safety data sheet, as well as the label on the product.

Glavni bibliografski viri:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

Okrajšave in kratice:

ADR: Evropski sporazum o mednarodnem cestnem prevozu nevarnega blaga IMDG: Mednarodni kodeks za nevarno blago v pomorskem prometu

IATA: Mednarodno združenje za letalski prevoz

ICAO: Mednarodna organizacija civilnega letalstva

COD: Kemijska potreba po kisiku

BOD5: 5-dnevna biokemijska potreba po kisiku

BCF: Bioakumulacijski faktor

LD50: Smrtni odmerek 50

LC50: Smrtna koncentracija 50

EC50: Efektivna koncentracija 50

LogPOW: Porazdelitveni koeficient oktanol-voda

Koc: Porazdelitveni koeficient organskega ogljika

UFI: Enolični identifikator formule

IARC: Mednarodna agencija za raziskave raka

The information contained in this safety data sheet is based on sources, technical knowledge in current nacionalne zakonodaje at European in state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology in conditions for users of this product are not within our awareness or control, in it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use in disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.