


In-Wash Perfume Oil Elegant Patchouli

ODDELEK 1: IDENTIFIKACIJA SNOVI/ZMESI IN DRUŽBE/PODJETJA

- 1.1 Identifikator izdelka:** In-Wash Perfume Oil Elegant Patchouli
Drugi načini identifikacije:
UFI: 6UM3-00VQ-S00T-1NY1
- 1.2 Pomembne identificirane uporabe snovi ali zmesi in odsvetovane uporabe:**
Pomembne uporabe (potrošniška uporaba): Intensive Parfum za perilo.
Odsvetovane uporabe: Vse uporabe, ki niso navedene v tem oddelku ali v oddelku 7.3
- 1.3 Podrobnosti o dobavitelju varnostnega lista:**
MB ELIX sp. z oo sp.k.
ul. Skarżyńskiego 26
54-530 Wrocław - Poljska
Telefon: 0048 71 387 85 33 - Fax: 0048 71 722 29 68
lab@elix.pl
www.elixscent.com
- 1.4 Telefonska številka za nujne primere:** 0048 71 387 85 33 (8.00-16.00)

ODDELEK 2: UGOTOVITEV NEVARNOSTI

- 2.1 Razvrstitev snovi ali zmesi:**
Uredba CLP (ES) št. 1272/2008:
Razvrstitev tega izdelka je bila izvedena v skladu z Uredbo CLP (ES) št. 1272/2008.
Aquatic Chronic 3: Nevarno za vodno okolje, dolgoročna nevarnost, kategorija 3, H412 Eye Irrit. 2: Draženje oči, kategorija 2, H319
Skin Irrit. 2: Draženje kože, kategorija 2, H315
Skin Sens. 1B: Preobčutljivost kože, kategorija 1B, H317
- 2.2 Elementi etikete:**
Uredba CLP (ES) št. 1272/2008:
Pozor
- 
- Stavki o nevarnosti:**
H315 - Povzroča draženje kože.
H317 - Lahko povzroči alergijski odziv kože.
H319 - Povzroča hudo draženje oči.
H412 - Škodljivo za vodne organizme, z dolgotrajnimi učinki.
- Previdnostni stavki:**
P101: Če je potreben zdravniški nasvet, mora biti na voljo posoda ali etiketa proizvoda.
P102: Hraniti zunaj dosega otrok.
P302+P352: PRI STIKU S KOŽO: umiti z veliko vode.
P305+P351+P338: PRI STIKU Z OČMI: previdno izpirati z vodo nekaj minut. Odstranite kontaktne leče, če jih imate in če to lahko storite brez težav. Nadaljujte z izpiranjem.
P332+P313: Če nastopi draženje kože: poiščite zdravniško pomoč/oskrbo.
P501: Odstraniti vsebino/posodo v skladu s sistemom ločenega zbiranja odpadkov, ki velja v vaši občini.
- Dopolnilne informacije:**
Vsebuje linalool, linalyl acetate, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, caryophyllene, cineole, eugenol.
- UFI:** 6UM3-00VQ-S00T-1NY1
- 2.3 Druge nevarnosti:**
Izdelek ne izpolnjuje meril PBT/vPvB
Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

ODDELEK 3: SESTAVA/PODATKI O SESTAVINAH

- 3.1 Snov:**

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 3: SESTAVA/PODATKI O SESTAVINAH (nadaljevanje)

Ni relevantno

3.2 Zmes:

Kemijski opis: Zmes, sestavljena iz kemijskih izdelkov

Sestavine:

V skladu s Prilogo II k Uredbi (ES) št. 1907/2006 (točka 3) izdelek vsebuje:

Identifikacija	Kemijsko ime/Razvrstitev	Koncentracija
CAS: 78-70-6 ES: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	7.5 - <10%
CAS: 34590-94-8 ES: 252-104-2 Index: Ni relevantno REACH: 01-2119450011-60-XXXX	Dipropilenglikol metileter(2) Ni razvrščeno Uredba 1272/2008	7.5 - <10%
CAS: 115-95-7 ES: 204-116-4 Ni relevantno Index: relevantno REACH: 01-2119454789-19-XXXX	Linalyl acetate(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	5 - <7.5%
CAS: 100-79-8 ES: 202-888-7 Index: Ni relevantno REACH: 01-2120066005-66-XXXX	2,2-dimethyl-1,3-dioxolan-4-ylmetanol(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319 - Povzroča hudo draženje oči.	5 - <7.5%
CAS: 60-12-8 ES: 200-456-2 Index: Ni relevantno REACH: 01-2119963921-31-XXXX	2-feniletanol(1) Lastna razvrstitev Uredba 1272/2008 Acute Tox. 4: H302; Eye Irrit. 2: H319 - Povzroča hudo draženje oči.	3 - <4%
CAS: 140-11-4 ES: 205-399-7 Index: Ni relevantno REACH: 01-2119638272-42-XXXX	Benzil acetat(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 3: H412	2 - <3%
CAS: 54464-57-2 ES: 259-174-3 Index: Ni relevantno REACH: 01-2119489989-04	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	1 - <2%
CAS: 14901-07-6 ES: 238-969-9 Index: Ni relevantno REACH: 01-2119937833-30-XXXX	4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 2: H411	1 - <2%
CAS: 87-44-5 ES: 201-746-1 Ni relevantno Index: relevantno REACH: 01-2120745237-53-XXXX	Caryophyllene(1) Lastna razvrstitev Uredba 1272/2008 Asp. Tox. 1: H304; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	1 - <2%
CAS: 127-41-3 ES: 204-841-6 Index: Ni relevantno REACH: 01-2120138061-71-XXXX	4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 3: H412	1 - <2%
CAS: 470-82-6 ES: 207-431-5 Index: Ni relevantno REACH: 01-2119967772-24-XXXX	Cineole(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319; Flam. Liq. 3: H226; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	0.5 - <0.75%
CAS: 134737-05-6 ES: Ni relevantno Index: Ni relevantno REACH: Ni relevantno	Siloxanes in Silicones, dimethyl, 3-[3-[(3-coco amidopropyl)dimethylammonio]- 2- hydroxypropoxy]propyl group-terminated, acetates (salts)(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Strupeno za vodne organizme, z dolgotrajnimi učinki.	0.25 - <0.5%
CAS: 97-53-0 ES: 202-589-1 Ni relevantno Index: relevantno REACH: 01-2119971802-33-XXXX	Eugenol(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	0.25 - <0.5%
CAS: 122-03-2 ES: 204-516-9 Index: Ni relevantno REACH: 01-2119979555-20-XXXX	4-isopropylbenzaldehyde(1) Lastna razvrstitev Uredba 1272/2008 Acute Tox. 4: H302; Repr. 2: H361 - Sum škodljivosti za plodnost ali nerojenega otroka.	0.1 - <0.25%

(1) Snovi, ki predstavljajo nevarnost za zdravje ali okolje in izpolnjujejo merila iz Uredbe (EU) št. 2020/878 (2) Snov z mejno vrednostjo izpostavljenosti na delovnem mestu na ravni Unije

- NADALJEVANJE NA NASLEDNJI STRANI -

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 3: SESTAVA/PODATKI O SESTAVINAH (nadaljevanje)

Za več informacij o nevarnostih snovi glejte oddelke 11, 12 in 16.

Druge informacije:

Identifikacija	M-faktor	
	Siloxanes in Silicones, dimethyl, 3-[3-[(3-coco amidopropyl)dimethylammonio]-2-hydroxypropoxy]propyl group- terminated, acetates (salts) CAS: 134737-05-6 ES: Ni relevantno	Akutni
	Kronični	1

Ocena akutne strupenosti za snov iz dela 3 Priloge VI k Uredbi (ES) št. 1272/2008 ali določena v skladu s Prilogo I k navedeni uredbi:

Identifikacija	Akutna strupenost		Vrsta
	2-feniletanol CAS: 60-12-8 ES: 200-456-2	LD50 oralno	
	LD50 dermalno	Ni relevantno	
	LC50 vdihavanje (hlapi)	Ni relevantno	

ODDELEK 4: UKREPI ZA PRVO POMOČ

4.1 Opis ukrepov za prvo pomoč:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

Pri vdihavanju:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air in keep at rest. Request medical attention if symptoms persist.

Pri stiku s kožo:

Remove contaminated clothing in footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

Pri stiku z očmi:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

Pri zaužitju/vdihavanju:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth in throat, as they may have been affected during ingestion.

4.2 Najpomembnejši simptomi in učinki, akutni in zapozneli:

Akutni in zapozneli učinki so navedeni v oddelkih 2 in 11.

4.3 Navedba kakršne koli takojšnje medicinske oskrbe in posebnega zdravljenja:

Ni relevantno

ODDELEK 5: PROTIPOŽARNI UKREPI

5.1 Gasilna sredstva:

Ustrezna gasilna sredstva:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Neustrezna gasilna sredstva:

Voda jet

5.2 Posebne nevarnosti v zvezi s snovjo ali zmesjo:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Nasvet za gasilce:

Depending on the magnitude of the fire it may be necessary to use full protective clothing in Self Contained Breathing Apparatus. Minimum emergency facilities in equipment should be available (fire blankets, portable first aid kit,...)

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 5: PROTIPOŽARNI UKREPI (nadaljevanje)

Dodatne določbe:

Act in accordance with the Internal Emergency Plan in the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers in tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

ODDELEK 6: UKREPI OB NENAMERNIH IZPUSTIH

6.1 Osební varnostni ukrepi, zaščitna oprema in postopki v sili:

Za neizkušeno osebje:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area in keep out those without zaščita. Personal zaščita equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, in also ensuring that all surfaces are connected to the ground.

Za reševalce:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Okoljevarstveni ukrepi:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Metode in materiali za zadrževanje in čiščenje:

Priporočljivo je:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent in move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers in manage it according to current nacionalne zakonodaje.

Razlitja v vodo ali morje:

Manjša razlitja:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection in treat the waste in accordance with current regulations.

Večja razlitja:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread in collect the product with suitable mechanical means. Always consult experts before using dispersants in make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Sklicevanje na druge oddelke:

Glejte oddelka 8 in 13.

ODDELEK 7: RAVNANJE IN SKLADIŠČENJE

7.1 Varnostni ukrepi za varno ravnanje:

A.- Splošni varnostni ukrepi za varno uporabo

Comply with the current nacionalne zakonodaje concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness in dispose of using safe methods (section 6).

B.- Tehnična priporočila za preprečevanje požarov in eksplozij

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) in transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions in materials that should be avoided.

C.- Tehnična priporočila o splošni higieni na delovnem mestu

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Tehnična priporočila za preprečevanje tveganj za okolje

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Pogoji za varno skladiščenje, vključno z nezdružljivostmi:

A.- Posebne zahteve za skladiščenje

Najnižja temp.: 5 °C

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 7: RAVNANJE IN SKLADIŠČENJE (nadaljevanje)

Najvišja temp.: 35 °C
Najdaljši čas: 36 mesecev

B.- Splošni pogoji za skladiščenje

Avoid sources of heat, radiation, static electricity in contact with food. For additional information see subsection 10.5

7.3 Posebne končne uporabe:

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA

8.1 Parametri nadzora:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific

nacionalne zakonodaje):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identifikacija	Mejne vrednosti izpostavljenosti na delovnem mestu		
	IOELV (8h)	50 ppm	308 mg/m ³
Dipropilenglikol metileter (1) CAS: 34590-94-8 ES: 252-104-2	IOELV (STEL)		

(1) Koža

DNEL (delavci):

Identifikacija		Kratkotrajna izpostavljenost		Dolgotrajna izpostavljenost	
		Sistemeski	Lokalni	Sistemeski	Lokalni
Linalool CAS: 78-70-6 ES: 201-134-4	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	3,5 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	24,58 mg/m ³	Ni relevantno
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	283 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	308 mg/m ³	Ni relevantno
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	2,5 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	2,75 mg/m ³	Ni relevantno
2-feniletanol CAS: 60-12-8 ES: 200-456-2	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	21,2 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	59,9 mg/m ³	Ni relevantno
Benzil acetat CAS: 140-11-4 ES: 205-399-7	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	2,5 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	9 mg/m ³	Ni relevantno
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one CAS: 14901-07-6 ES: 238-969-9	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	2,191 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	2,498 mg/m ³	Ni relevantno
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one CAS: 127-41-3 ES: 204-841-6	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,28 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	0,987 mg/m ³	Ni relevantno
Cineole CAS: 470-82-6 ES: 207-431-5	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	2 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	7,05 mg/m ³	Ni relevantno
Eugenol CAS: 97-53-0 ES: 202-589-1	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	6 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	21,2 mg/m ³	Ni relevantno

DNEL (splošno prebivalstvo):

- NADALJEVANJE NA NASLEDNJI STRANI -

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)

Identifikacija		Kratkotrajna izpostavljenost		Dolgotrajna izpostavljenost	
		Sistemeski	Lokalni	Sistemeski	Lokalni
Linalool CAS: 78-70-6 ES: 201-134-4	Oralno	Ni relevantno	Ni relevantno	2,49 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	1,25 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	4,33 mg/m ³	Ni relevantno
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	Oralno	Ni relevantno	Ni relevantno	36 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	121 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	37,2 mg/m ³	Ni relevantno
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	Oralno	Ni relevantno	Ni relevantno	0,2 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	1,25 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	0,68 mg/m ³	Ni relevantno
2-feniletanol CAS: 60-12-8 ES: 200-456-2	Oralno	5,1 mg/kg	Ni relevantno	5,1 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	12,7 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	17,7 mg/m ³	Ni relevantno
Benzil acetat CAS: 140-11-4 ES: 205-399-7	Oralno	Ni relevantno	Ni relevantno	1,3 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	1,3 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	2,2 mg/m ³	Ni relevantno
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one CAS: 14901-07-6 ES: 238-969-9	Oralno	Ni relevantno	Ni relevantno	4,383 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,54 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	0,621 mg/m ³	Ni relevantno
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one CAS: 127-41-3 ES: 204-841-6	Oralno	Ni relevantno	Ni relevantno	0,1 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,1 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	0,174 mg/m ³	Ni relevantno
Cineole CAS: 470-82-6 ES: 207-431-5	Oralno	Ni relevantno	Ni relevantno	600 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	1 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	1,74 mg/m ³	Ni relevantno
Eugenol CAS: 97-53-0 ES: 202-589-1	Oralno	Ni relevantno	Ni relevantno	3 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	3 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	5,22 mg/m ³	Ni relevantno

PNES:

Identifikacija		Kratkotrajna izpostavljenost		Dolgotrajna izpostavljenost	
Linalool CAS: 78-70-6 ES: 201-134-4	STP	10 mg/L	Sladka voda	0,2 mg/L	
	Tla	0,327 mg/kg	Morska voda	0,02 mg/L	
	Občasna	2 mg/L	Usedlina (sladka voda)	2,22 mg/kg	
	Oralno	0,0078 g/kg	Usedlina (morska voda)	0,222 mg/kg	
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	STP	4168 mg/L	Sladka voda	19 mg/L	
	Tla	2,74 mg/kg	Morska voda	1,9 mg/L	
	Občasna	190 mg/L	Usedlina (sladka voda)	70,2 mg/kg	
	Oralno	Ni relevantno	Usedlina (morska voda)	7,02 mg/kg	
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	STP	1 mg/L	Sladka voda	0,011 mg/L	
	Tla	0,115 mg/kg	Morska voda	0,001 mg/L	
	Občasna	0,11 mg/L	Usedlina (sladka voda)	0,609 mg/kg	
	Oralno	Ni relevantno	Usedlina (morska voda)	0,061 mg/kg	
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	STP	10 mg/L	Sladka voda	0,2 mg/L	
	Tla	2,5 mg/kg	Morska voda	0,2 mg/L	
	Občasna	0,09 mg/L	Usedlina (sladka voda)	1,18316 mg/kg	
	Oralno	Ni relevantno	Usedlina (morska voda)	0,1183 mg/kg	
2-feniletanol CAS: 60-12-8 ES: 200-456-2	STP	10 mg/L	Sladka voda	0,215 mg/L	
	Tla	0,164 mg/kg	Morska voda	0,021 mg/L	
	Občasna	2,15 mg/L	Usedlina (sladka voda)	1,454 mg/kg	
	Oralno	Ni relevantno	Usedlina (morska voda)	0,145 mg/kg	

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)

Identifikacija				
Benzil acetat CAS: 140-11-4 ES: 205-399-7	STP	8,55 mg/L	Sladka voda	0,018 mg/L
	Tla	0,094 mg/kg	Morska voda	0,002 mg/L
	Občasna	0,04 mg/L	Usedlina (sladka voda)	0,526 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,053 mg/kg
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one CAS: 14901-07-6 ES: 238-969-9	STP	0,043 mg/L	Sladka voda	0,001 mg/L
	Tla	10,466 mg/kg	Morska voda	0 mg/L
	Občasna	0,015 mg/L	Usedlina (sladka voda)	22,451 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	22,451 mg/kg
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one CAS: 127-41-3 ES: 204-841-6	STP	13,1 mg/L	Sladka voda	0,0034 mg/L
	Tla	0,195 mg/kg	Morska voda	0,00034 mg/L
	Občasna	0,0138 mg/L	Usedlina (sladka voda)	0,984 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,0984 mg/kg
Cineole CAS: 470-82-6 ES: 207-431-5	STP	10 mg/L	Sladka voda	0,057 mg/L
	Tla	0,25 mg/kg	Morska voda	0,0057 mg/L
	Občasna	0,57 mg/L	Usedlina (sladka voda)	1,425 mg/kg
	Oralno	0,04 g/kg	Usedlina (morska voda)	0,142 mg/kg
Eugenol CAS: 97-53-0 ES: 202-589-1	STP	Ni relevantno	Sladka voda	0,00113 mg/L
	Tla	0,015 mg/kg	Morska voda	0,000113 mg/L
	Občasna	0,0113 mg/L	Usedlina (sladka voda)	0,081 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,008 mg/kg

8.2 Nadzor izpostavljenosti:



A.- Ukrepi osebne zaščite, kot je osebna zaščitna oprema

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of zaščita,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Zaščita dihal



If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory zaščita equipment chosen by a qualified professional should be used.

C.- Posebna zaščita rok


Piktogram	PPE	Označevanje	Standard CEN	Opombe
 Obvezna zaščita	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability in has therefore to be checked prior to the application.

D.- Zaščita oči in obraza


Piktogram	PPE	Označevanje	Standard CEN	Opombe
 Obvezna zaščita zaščita	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily in disinfect periodically according to the manufacturer 's instructions. Use if there is a risk of splashing.

E.- Zaščita telesa

Piktogram	PPE	Označevanje	Standard CEN	Opombe
	Delovna oblačila			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.



In-Wash Perfume Oil Elegant Patchouli

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)

Piktogram	PPE	Označevanje	Standard CEN	Opombe
	Nedrseča delovna obutev		EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Dodatni nujni ukrepi

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Nujni ukrep	Standardi	Nujni ukrep	Standardi
 Varnostni tuš	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Postaja za izpiranje oči	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Nadzor izpostavljenosti okolja:

To comply with environmental zaščita regulations, it is recommended to prevent any spillage of the product in its container. For more detailed information, please refer to subsection 7.1.D.

ODDELEK 9: FIZIKALNE IN KEMIJSKE LASTNOSTI

9.1 Podatki o osnovnih fizikalnih in kemijskih lastnostih:

Za popolne informacije glejte tehnični list izdelka.

Videz:

Fizikalno stanje pri 20 °C:	Tekočina
Videz:	Tekoče
Barva:	Svetlo rumena , Brezbarvna
Vonj:	Prijeten
Prag vonja:	Ni relevantno *

Hlapnost:

Vrelišče pri atmosferskem tlaku:	223 °C
Parni tlak pri 20 °C:	10 Pa
Parni tlak pri 50 °C:	87,19 Pa (0,09 kPa)
Hitrost izhlapevanja pri 20 °C:	Ni relevantno *

Opis izdelka:

Gostota pri 20 °C:	992,2 kg/m ³
Relativna gostota pri 20 °C:	0,992
Dinamična viskoznost pri 20 °C:	Ni relevantno *
Kinematična viskoznost pri 20 °C:	Ni relevantno *
Kinematična viskoznost pri 40 °C:	Ni relevantno *
Koncentracija:	Ni relevantno *
pH:	Ni relevantno *
Gostota par pri 20 °C:	Ni relevantno *
Porazdelitveni koeficient n-oktanol/voda pri 20 °C:	Ni relevantno *
Topnost v vodi pri 20 °C:	Ni relevantno *
Topnostne lastnosti:	Ni relevantno *
Temperatura razgradnje:	Ni relevantno *
Tališče/ledišče:	Ni relevantno *

Vnetljivost:

*Ni relevantno zaradi narave izdelka, ne zagotavlja informacij o lastnostih nevarnosti.

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 9: FIZIKALNE IN KEMIJSKE LASTNOSTI (nadaljevanje)

Plamenišče:	91 °C
Vnetljivost (trdno, plin):	Ni relevantno *
Temperatura samovžiga:	192 °C
Spodnja meja vnetljivosti:	Ni relevantno *
Zgornja meja vnetljivosti:	Ni relevantno *

Značilnosti delcev:

Mediana ekvivalentnega premera:	Ni relevantno *
---------------------------------	-----------------

9.2 Druge informacije:

Informacije o razredih fizikalnih nevarnosti:

Eksplozivne lastnosti:	Ni relevantno *
Oksidativne lastnosti:	Ni relevantno *
Jedko za kovine:	Ni relevantno *
Toplota zgorevanja:	Ni relevantno *
Aerosoli – skupni odstotek (mase) vnetljivih sestavin:	Ni relevantno *

Druge varnostne značilnosti:

Površinska napetost pri 20 °C:	Ni relevantno *
Lomni količnik:	Ni relevantno *

*Ni relevantno zaradi narave izdelka, ne zagotavlja informacij o lastnostih nevarnosti.

ODDELEK 10: OBSTOJNOST IN REAKTIVNOST

10.1 Reaktivnost:

Ne hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Kemijska obstojnost:

Chemically stable under the indicated conditions of storage, handling in use.

10.3 Možnost nevarnih reakcij:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Pogoji, ki se jim je treba izogniti:

Applicable for handling in storage at room temperature:

Udarec in trenje	Stik z zrakom	Dvig temperature	Sončna svetloba	Vlažnost
Ni relevantno	Ni relevantno	Previdnost	Previdnost	Ni relevantno

10.5 Nezdružljivi materiali:

Kislina	Voda	Oksidativni materiali	Vnetljivi materiali	Ostalo
Izogibajte se močnim kislinam	Ni relevantno	Izogibajte se neposrednemu udarcu	Ni relevantno	Izogibajte se alkalijam ali močnim bazam

10.6 Nevarni produkti razgradnje:

Vsebuje substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

ODDELEK 11: TOKSIKOLOŠKI PODATKI

11.1 Informacije o razredih nevarnosti, opredeljenih v Uredbi (ES) št. 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Vsebuje glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health.

Nevarnoous health implications:

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 11: TOKSIKOLOŠKI PODATKI (nadaljevanje)

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Zaužitje (akutni učinek):

- Akutna strupenost: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea in vomiting.

B- Vdihavanje (akutni učinek):

- Akutna strupenost : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Stik s kožo in očmi (akutni učinek):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Causes serious eye irritation.

D- Učinki CMR (rakotvornost, mutagenost in strupenost za razmnoževanje):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: Benzil acetat (3); Eugenol (3); d-limonene (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Preobčutljivostni učinki:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Koža: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specifična strupenost za ciljne organe (STOT) – enkratna izpostavljenost:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specifična strupenost za ciljne organe (STOT) – ponavljajoča izpostavljenost:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Koža: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Nevarnost pri vdihavanju:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Druge informacije:

Ni relevantno

Specifične toksikološke informacije o snoveh:

Identifikacija	Akutna strupenost		Vrsta
	LD50 oralno	LD50 dermalno	
Linalool CAS: 78-70-6 ES: 201-134-4	3500 mg/kg		Podgana
		5610 mg/kg	Kunec
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	14500 mg/kg		Podgana
		5610 mg/kg	Kunec
2-feniletanol CAS: 60-12-8 ES: 200-456-2	1610 mg/kg		Podgana
		2100 mg/kg	Kunec

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 11: TOKSIKOLOŠKI PODATKI (nadaljevanje)

Identifikacija	Akutna strupenost		Vrsta
Benzil acetat CAS: 140-11-4 ES: 205-399-7	LD50 oralno	2490 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		
Caryophyllene CAS: 87-44-5 ES: 201-746-1	LD50 oralno	>5000 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	LD50 oralno	>5000 mg/kg	Podgana
	LD50 dermalno	9510 mg/kg	Kunec
	LC50 vdihavanje (hlapi)		
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	LD50 oralno	7000 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		
Cineole CAS: 470-82-6 ES: 207-431-5	LD50 oralno	2480 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		
Eugenol CAS: 97-53-0 ES: 202-589-1	LD50 oralno	2300 mg/kg	Podgana
	LD50 dermalno	>5000 mg/kg	
	LC50 vdihavanje (hlapi)		
4-isopropylbenzaldehyde CAS: 122-03-2 ES: 204-516-9	LD50 oralno	1400 mg/kg	Podgana
	LD50 dermalno	2800 mg/kg	
	LC50 vdihavanje dust		

11.2 Informacije o drugih nevarnostih:

Lastnosti endokrinih motilcev

Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

Druge informacije

Ni relevantno

ODDELEK 12: EKOLOŠKI PODATKI

The experimental information related to the eco-toxicological properties of the product itself is not available
Harmful to aquatic life with long lasting effects.

12.1 Strupenost:

Akutna strupenost:

Identifikacija	Koncentracija		Vrsta	Vrsta
	LC50	EC50		
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	LC50	10000 mg/L (96 h)	Pimephales promelas	Ribe
	EC50	1919 mg/L (48 h)	Daphnia magna	Raki
	EC50	Ni relevantno		
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	LC50	11 mg/L (96 h)	Cyprinus carpio	Ribe
	EC50	15 mg/L (48 h)	Daphnia magna	Raki
	EC50	62 mg/L (72 h)	Desmodemus subspicatus	Alge
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	LC50	16700 mg/L (96 h)	Pimephales promelas	Ribe
	EC50	Ni relevantno		
	EC50	Ni relevantno		
2-feniletanol CAS: 60-12-8 ES: 200-456-2	LC50	Ni relevantno		
	EC50	330 mg/L (24 h)	Daphnia magna	Raki
	EC50	490 mg/L (72 h)	Scenedesmus subspicatus	Alge
Benzil acetat CAS: 140-11-4 ES: 205-399-7	LC50	Ni relevantno		
	EC50	17 mg/L (48 h)	Daphnia magna	Raki
	EC50	110 mg/L (72 h)	Desmodemus subspicatus	Alge

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 12: EKOLOŠKI PODATKI (nadaljevanje)

Identifikacija	Koncentracija		Vrsta	Vrsta
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one CAS: 54464-57-2 ES: 259-174-3	LC50	>0.1 - 1 mg/L (96 h)		Ribe
	EC50	>0.1 - 1 mg/L (48 h)		Raki
	EC50	>0.1 - 1 mg/L (72 h)		Alge
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one CAS: 14901-07-6 ES: 238-969-9	LC50	>1 - 10 mg/L (96 h)		Ribe
	EC50	>1 - 10 mg/L (48 h)		Raki
	EC50	>1 - 10 mg/L (72 h)		Alge
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one CAS: 127-41-3 ES: 204-841-6	LC50	>10 - 100 mg/L (96 h)		Ribe
	EC50	>10 - 100 mg/L (48 h)		Raki
	EC50	>10 - 100 mg/L (72 h)		Alge
Siloxanes in Silicones, dimethyl, 3-[3-[(3-cocoamidopropyl)dimethylammonio]-2-hydroxypropoxy]propyl group-terminated, acetates (salts) CAS: 134737-05-6 ES: Ni relevantno	LC50	>0.1 - 1 mg/L (96 h)		Ribe
	EC50	>0.1 - 1 mg/L (48 h)		Raki
	EC50	>0.1 - 1 mg/L (72 h)		Alge
Eugenol CAS: 97-53-0 ES: 202-589-1	LC50	60,8 mg/L (96 h)	Oncorhynchus mykiss	Ribe
	EC50	Ni relevantno		
	EC50	Ni relevantno		

Kronična strupenost:

Identifikacija	Koncentracija		Vrsta	Vrsta
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	NOEC	Ni relevantno		
	NOEC	0,5 mg/L	Daphnia magna	Raki
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	NOEC	Ni relevantno		
	NOEC	10 mg/L	Daphnia magna	Raki
Benzil acetat CAS: 140-11-4 ES: 205-399-7	NOEC	0,92 mg/L	Oryzias latipes	Ribe
	NOEC	Ni relevantno		

12.2 Obstočnost in razgradljivost:

Specifične informacije o snovi:

Identifikacija	Razgradljivost		Biorazgradljivost	
Linalool CAS: 78-70-6 ES: 201-134-4	BOD5	Ni relevantno	Koncentracija	100 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	90 %
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	BOD5	Ni relevantno	Koncentracija	Ni relevantno
	COD	0 g O ₂ /g	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	73 %
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	BOD5	Ni relevantno	Koncentracija	81 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	80 %
2-feniletanol CAS: 60-12-8 ES: 200-456-2	BOD5	Ni relevantno	Koncentracija	100 mg/L
	COD	Ni relevantno	Obdobje	14 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	87 %
Benzil acetat CAS: 140-11-4 ES: 205-399-7	BOD5	Ni relevantno	Koncentracija	10 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	100 %

12.3 Zmožnost kopičenja v organizmih:

Specifične informacije o snovi:

Identifikacija	Potencial bioakumulacije	
Linalool CAS: 78-70-6 ES: 201-134-4	BCF	
	Pow Log	2.97
	Potencial	
Dipropilenglikol metileter CAS: 34590-94-8 ES: 252-104-2	BCF	1
	Pow Log	-0.06
	Potencial	Nizek

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 12: EKOLOŠKI PODATKI (nadaljevanje)

Identifikacija	Potencial bioakumulacije	
	BCF	Pow Log
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	174	3.9
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	1	Nizek
2-feniletanol CAS: 60-12-8 ES: 200-456-2	6	1.36
Benzil acetat CAS: 140-11-4 ES: 205-399-7	8	1.96
Cineole CAS: 470-82-6 ES: 207-431-5		2.74
Eugenol CAS: 97-53-0 ES: 202-589-1	31	2.27

12.4 Mobilnost v tleh:

Identifikacija	Absorpcija/desorpcija		Hlapnost	
	Koc	Henry	Suha tla	Vlažna tla
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	518	177 Pa·m ³ /mol	Da	Da
2-feniletanol CAS: 60-12-8 ES: 200-456-2	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
Benzil acetat CAS: 140-11-4 ES: 205-399-7	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one CAS: 14901-07-6 ES: 238-969-9	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
Cineole CAS: 470-82-6 ES: 207-431-5	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno

12.5 Rezultati ocene PBT in vPvB:

Izdelek ne izpolnjuje meril PBT/vPvB

12.6 Lastnosti endokrinih motilcev:

Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

12.7 Drugi škodljivi učinki:

Ni opisano

ODDELEK 13: ODSTRANJEVANJE

13.1 Metode ravnanja z odpadki:

Koda	Opis	Razred odpadka (Uredba (EU) št. 1357/2014)
20 01 29*	detergents containing hazardous substances	Hazardous

Vrsta odpadka (Uredba (EU) št. 1357/2014):

HP14 Ecotoxic, HP4 Irritant – skin irritation in eye damage

Ravnanje z odpadki (odstranjanje in ocena):

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 13: ODSTRANJEVANJE (nadaljevanje)

Consult the authorized waste service manager on the assessment in disposal operations in accordance with Annex 1 in Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code in in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Predpisi o ravnanju z odpadki:

In accordance with Annex II of Regulation (EC) Ne 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community nacionalne zakonodaje: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) Ne 1357/2014

ODDELEK 14: PODATKI O PREVOZU

Ta izdelek ni reguliran za prevoz (ADR/RID, IMDG, IATA)

ODDELEK 15: ZAKONSKO PREDPISANI PODATKI

15.1 Safety, health in environmental regulations/nacionalne zakonodaje specific for the substance or mixture:

- Article 95, REGULATION (EU) Ne 528/2012: Ni relevantno
- Candidate substances for authorisation under the Regulation (EC) Ne 1907/2006 (REACH): Ni relevantno
- Regulation (EU) 2019/1021 on persistent organic pollutants: Ni relevantno
- Regulation (EU) Ne 2024/590, about substances that deplete the ozone layer: Ni relevantno
- REGULATION (EU) Ne 649/2012, in relation to the import in export of hazardous chemical products: Ni relevantno - Substances included in Annex XIV of REACH ("Authorisation List") in sunset date: Ni relevantno

Uredba (ES) št. 648/2004 o detergentih:

V skladu s to uredbo izdelek ustreza naslednjemu:

The tensoactives contained in this mixture comply with the biodegradability criteria stipulated in Regulation (EC) n°648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States in will be shown to them by direct request or the request of a detergent manufacturer.

Označevanje vsebine:

Sestavina	Koncentracija interval
Nen-ionic surfactants	% (w/w) < 5
dišave	

Allergenic fragrances: 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES), 3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol (TRIMETHYLCYCLOPENTENYL METHYLISOPENTENOL), Caryophyllene (BETA-CARYOPHYLLENE), Eugenol (EUGENOL), Linalool (LINALOOL), Linalyl acetate (LINALYL ACETATE), Patchouli oil (POGOSTEMON CABLIN OIL).

Omejitev trženja in uporabe nekaterih nevarnih snovi in zmesi (Priloga XVII REACH, itd.):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps in ashtrays,
- tricks in jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Posebne določbe o varovanju ljudi ali okolja:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage in disposal of this product.

Other nacionalne zakonodaje:

The product could be affected by sectorial nacionalne zakonodaje

- Regulation (EC) Ne 1223/2009 of the European Parliament in of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) Ne 648/2004 of the European Parliament in of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) Ne 907/2006 of 20 June 2006 amending Regulation (EC) Ne 648/2004 of the European Parliament in of the Council on detergents, in order to adapt Annexes III in VII
- Commission Regulation (EC) Ne 551/2009 of 25 June 2009 amending Regulation (EC) Ne 648/2004 of the European Parliament in of the Council on detergents, in order to adapt Annexes V in VI thereto (surfactant derogation)

15.2 Ocena kemijske varnosti:

In-Wash Perfume Oil Elegant Patchouli

ODDELEK 15: ZAKONSKO PREDPISANI PODATKI (nadaljevanje)

Dobavitelj ni izvedel ocene kemijske varnosti.

ODDELEK 16: DRUGI PODATKI

Zakonodaja o varnostnih listih:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) Ne 1907/2006

(COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Ni relevantno

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes in refer to the individual components which appear in section 3

Uredba CLP (ES) št. 1272/2008:

Acute Tox. 4: H302 - Zdravju škodljivo pri zaužitju.

Aquatic Acute 1: H400 - Zelo strupeno za vodne organizme.

Aquatic Chronic 1: H410 - Zelo strupeno za vodne organizme, z dolgotrajnimi učinki.

Aquatic Chronic 2: H411 - Strupeno za vodne organizme, z dolgotrajnimi učinki.

Aquatic Chronic 3: H412 - Škodljivo za vodne organizme, z dolgotrajnimi učinki.

Asp. Tox. 1: H304 - Pri zaužitju in vstopu v dihalne poti je lahko smrtno.

Eye Irrit. 2: H319 - Povzroča hudo draženje oči.

Flam. Liq. 3: H226 - Vnetljiva tekočina in hlapi.

Repr. 2: H361 - Sum škodljivosti za plodnost ali nerojenega otroka.

Skin Irrit. 2: H315 - Povzroča draženje kože.

Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.

Postopek razvrstitve:

Skin Irrit. 2: Calculation method

Skin Sens. 1B: Calculation method

Aquatic Chronic 3: Calculation method

Eye Irrit. 2: Calculation method

Nasveti glede usposabljanja:

Training is recommended in order to prevent industrial risks for staff using this product in to facilitate their comprehension in interpretation of this safety data sheet, as well as the label on the product.

Glavni bibliografski viri:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

Okrajšave in kratice:

ADR: Evropski sporazum o mednarodnem cestnem prevozu nevarnega blaga IMDG: Mednarodni kodeks za nevarno blago v pomorskem prometu

IATA: Mednarodno združenje za letalski prevoz

ICAO: Mednarodna organizacija civilnega letalstva

COD: Kemijska potreba po kisiku

BOD5: 5-dnevna biokemijska potreba po kisiku

BCF: Bioakumulacijski faktor

LD50: Smrtni odmerek 50

LC50: Smrtna koncentracija 50

EC50: Efektivna koncentracija 50

LogPOW: Porazdelitveni koeficient oktanol-voda

Koc: Porazdelitveni koeficient organskega ogljika

UFI: Enolični identifikator formule

IARC: Mednarodna agencija za raziskave raka

The information contained in this safety data sheet is based on sources, technical knowledge in current nacionalne zakonodaje at European in state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology in conditions for users of this product are not within our awareness or control, in it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use in disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.