


In-Wash Perfume Oil Satin Sweetness

ODDELEK 1: IDENTIFIKACIJA SNOVI/ZMESI IN DRUŽBE/PODJETJA

- 1.1 Identifikator izdelka:** In-Wash Perfume Oil Satin Sweetness
Drugi načini identifikacije:
UFI: YWM3-H0K4-300A-P0J3
- 1.2 Pomembne identificirane uporabe snovi ali zmesi in odsvetovane uporabe:**
Pomembne uporabe (potrošniška uporaba): Intensive Parfum za perilo.
Odsvetovane uporabe: Vse uporabe, ki niso navedene v tem oddelku ali v oddelku 7.3
- 1.3 Podrobnosti o dobavitelju varnostnega lista:**
MB ELIX sp. z oo sp.k.
ul. Skarżyńskiego 26
54-530 Wrocław - Poljska
Telefon: 0048 71 387 85 33 - Fax: 0048 71 722 29 68
lab@elix.pl
www.elixscent.com
- 1.4 Telefonska številka za nujne primere:** 0048 71 387 85 33 (8.00-16.00)

ODDELEK 2: UGOTOVITEV NEVARNOSTI

- 2.1 Razvrstitev snovi ali zmesi:**
Uredba CLP (ES) št. 1272/2008:
Razvrstitev tega izdelka je bila izvedena v skladu z Uredbo CLP (ES) št. 1272/2008.
Aquatic Chronic 3: Nevarno za vodno okolje, dolgoročna nevarnost, kategorija 3, H412 Eye Irrit. 2: Draženje oči, kategorija 2, H319
Skin Sens. 1B: Preobčutljivost kože, kategorija 1B, H317
- 2.2 Elementi etikete:**
Uredba CLP (ES) št. 1272/2008:
Pozor
- 
- Stavki o nevarnosti:**
H317 - Lahko povzroči alergijski odziv kože.
H319 - Povzroča hudo draženje oči.
H412 - Škodljivo za vodne organizme, z dolgotrajnimi učinki.
- Previdnostni stavki:**
P101: Če je potreben zdravniški nasvet, mora biti na voljo posoda ali etiketa proizvoda.
P102: Hraniti zunaj dosega otrok.
P302+P352: PRI STIKU S KOŽO: umiti z veliko vode.
P305+P351+P338: PRI STIKU Z OČMI: previdno izpirati z vodo nekaj minut. Odstranite kontaktne leče, če jih imate in če to lahko storite brez težav. Nadaljujte z izpiranjem.
P332+P313: Če nastopi draženje kože: poiščite zdravniško pomoč/oskrbo.
P501: Odstraniti vsebino/posodo v skladu s sistemom ločenega zbiranja odpadkov, ki velja v vaši občini.
- Dopolnilne informacije:**
Vsebuje linalool, linalyl acetate, hexyl cinnamaldehyde, methyl 2,4-dihydroxy-3,6-dimethylbenzoate, citronellol, eugenol, alpha-methyl-1,3-benzodioxole-5-propionaldehyde, d-limonene, (z)-hex-3-enyl benzoate.
- UFI:** YWM3-H0K4-300A-P0J3
- 2.3 Druge nevarnosti:**
Izdelek ne izpolnjuje meril PBT/vPvB
Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

ODDELEK 3: SESTAVA/PODATKI O SESTAVINAH

- 3.1 Snov:**
Ni relevantno

In-Wash Perfume Oil Satin Sweetness

ODDELEK 3: SESTAVA/PODATKI O SESTAVINAH (nadaljevanje)

3.2 Zmes:

Kemijski opis: Zmes, sestavljena iz kemijskih izdelkov

Sestavine:

V skladu s Prilogo II k Uredbi (ES) št. 1907/2006 (točka 3) izdelek vsebuje:

Identifikacija	Kemijsko ime/Razvrstitev	Koncentracija
CAS: 100-79-8 ES: 202-888-7 Index: Ni relevantno REACH: 01-2120066005-66-XXXX	2,2-dimethyl-1,3-dioxolan-4-ylmetanol(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319 - Povzroča hudo draženje oči.	5 - <7.5%
CAS: 78-70-6 ES: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	4 - <5%
CAS: 105-95-3 ES: 203-347-8 Index: Ni relevantno REACH: 01-2119976314-33-XXXX	1,4-dioxacycloheptadecane-5,17-dione(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 3: H412	4 - <5%
CAS: 63500-71-0 ES: 405-040-6 Index: 603-101-00-3 REACH: 01-211945547-30-XXXX	Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis in trans)(1) ATP CLP00 Uredba 1272/2008 Eye Irrit. 2: H319 - Povzroča hudo draženje oči.	3 - <4%
CAS: 140-11-4 ES: 205-399-7 Index: Ni relevantno REACH: 01-2119638272-42-XXXX	Benzil acetat(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 3: H412	3 - <4%
CAS: 115-95-7 ES: 204-116-4 Ni relevantno Index: relevantno REACH: 01-2119454789-19-XXXX	Linalyl acetate(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	1 - <2%
CAS: 134-20-3 ES: 205-132-4 Index: Ni relevantno REACH: 01-2120478941-44-XXXX	Methyl anthranilate(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319 - Povzroča hudo draženje oči.	1 - <2%
CAS: 104-67-6 ES: 203-225-4 Index: Ni relevantno REACH: 01-2119959333-34-XXXX	Undecan-4-olide(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 3: H412	1 - <2%
CAS: 101-86-0 ES: 202-983-3 Ni relevantno Index: relevantno REACH: 01-2119533092-50-xxxx	Hexyl cinnamaldehyde(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	1 - <2%
CAS: 4707-47-5 ES: 225-193-0 Ni relevantno Index: relevantno REACH: 01-2120762759-36-XXXX	Methyl 2,4-dihydroxy-3,6-dimethylbenzoate(1) Lastna razvrstitev Uredba 1272/2008 Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	1 - <2%
CAS: 4940-11-8 ES: 225-582-5 Index: Ni relevantno REACH: 01-2120758795-36-XXXX	2-ethyl-3-hydroxy-4-pyrone(1) Lastna razvrstitev Uredba 1272/2008 Acute Tox. 4: H302 - Zdravju škodljivo pri zaužitju.	1 - <2%
CAS: 106-22-9 ES: 203-375-0 Ni relevantno Index: relevantno REACH: 01-2119453995-23-XXXX	Citronello(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	1 - <2%
CAS: 97-53-0 ES: 202-589-1 Ni relevantno Index: relevantno REACH: 01-2119971802-33-XXXX	Eugenol(1) Lastna razvrstitev Uredba 1272/2008 Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	0.75 - <1%
CAS: 1205-17-0 ES: 214-881-6 Index: 605-042-00-9 REACH: 01-2120740119-58-XXXX	alpha-methyl-1,3-benzodioxole-5-propionaldehyde(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 2: H411; Repr. 2: H361; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	0.75 - <1%

(1) Snovi, ki predstavljajo nevarnost za zdravje ali okolje in izpolnjujejo merila iz Uredbe (EU) št. 2020/878

In-Wash Perfume Oil Satin Sweetness

ODDELEK 3: SESTAVA/PODATKI O SESTAVINAH (nadaljevanje)

Identifikacija	Kemijsko ime/Razvrstitev	Koncentracija
CAS: 134737-05-6 ES: Ni relevantno Index: Ni relevantno REACH: Ni relevantno	Siloxanes in Silicones, dimethyl, 3-[3-[(3-coco amidopropyl)dimethylammonio]- 2- hydroxypropoxy]propyl group-terminated, acetates (salts)(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Strupeno za vodne organizme, z dolgotrajnimi učinki.	0.25 - <0.5%
CAS: 5989-27-5 ES: 227-813-5 Index: 601-096-00-2 REACH: 01-2119529223-47-XXXX	d-limonene(1) ATP ATP17 Uredba 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	0.25 - <0.5%
CAS: 25152-85-6 ES: 246-669-4 Ni relevantno Index: relevantno REACH: 01-2120525150-73-XXXX	(z)-hex-3-enyl benzoate(1) Lastna razvrstitev Uredba 1272/2008 Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.	0.25 - <0.5%

(1) Snovi, ki predstavljajo nevarnost za zdravje ali okolje in izpolnjujejo merila iz Uredbe (EU) št. 2020/878

Za več informacij o nevarnostih snovi glejte oddelke 11, 12 in 16.

Druge informacije:

Identifikacija	M-faktor	
Siloxanes in Silicones, dimethyl, 3-[3-[(3-coco amidopropyl)dimethylammonio]- 2-hydroxypropoxy]propyl group- terminated, acetates (salts)	Akutni	1
CAS: 134737-05-6 ES: Ni relevantno	Kronični	1
d-limonene	Akutni	1
CAS: 5989-27-5 ES: 227-813-5	Kronični	1

Ocena akutne strupenosti za snov iz dela 3 Priloge VI k Uredbi (ES) št. 1272/2008 ali določena v skladu s Prilogo I k navedeni uredbi:

Identifikacija	Akutna strupenost		Vrsta
2-ethyl-3-hydroxy-4-pyrone	LD50 oralno	1200 mg/kg	Podgana
CAS: 4940-11-8 ES: 225-582-5	LD50 dermalno	Ni relevantno	
	LC50 vdihavanje (hlapi)	Ni relevantno	

ODDELEK 4: UKREPI ZA PRVO POMOČ

4.1 Opis ukrepov za prvo pomoč:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

Pri vdihavanju:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air in keep at rest. Request medical attention if symptoms persist.

Pri stiku s kožo:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water in neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters), seek medical advice with this Safety Data Sheet

Pri stiku z očmi:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

Pri zaužitju/vdihavanju:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth in throat, as they may have been affected during ingestion.

4.2 Najpomembnejši simptomi in učinki, akutni in zapozneli:

Akutni in zapozneli učinki so navedeni v oddelkih 2 in 11.

4.3 Navedba kakršne koli takojšnje medicinske oskrbe in posebnega zdravljenja:

Ni relevantno

In-Wash Perfume Oil Satin Sweetness

ODDELEK 5: PROTIPOŽARNI UKREPI

5.1 Gasilna sredstva:

Ustrezna gasilna sredstva:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Neustrezna gasilna sredstva:

Voda jet

5.2 Posebne nevarnosti v zvezi s snovjo ali zmesjo:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Nasvet za gasilce:

Depending on the magnitude of the fire it may be necessary to use full protective clothing in Self Contained Breathing Apparatus. Minimum emergency facilities in equipment should be available (fire blankets, portable first aid kit,...)

Dodatne določbe:

Act in accordance with the Internal Emergency Plan in the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers in tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

ODDELEK 6: UKREPI OB NENAMERNIH IZPUSTIH

6.1 Osebni varnostni ukrepi, zaščitna oprema in postopki v sili:

Za neizkušeno osebje:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area in keep out those without zaščita. Personal zaščita equipment must be used against potential contact with the spilt product (See section 8).

Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium.

Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, in also ensuring that all surfaces are connected to the ground.

Za reševalce:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Okoljevarstveni ukrepi:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Metode in materiali za zadrževanje in čiščenje:

Priporočljivo je:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent in move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers in manage it according to current nacionalne zakonodaje.

Razlitja v vodo ali morje:

Manjša razlitja:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection in treat the waste in accordance with current regulations.

Večja razlitja:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread in collect the product with suitable mechanical means. Always consult experts before using dispersants in make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Sklicevanje na druge oddelke:

Glejte oddelka 8 in 13.

ODDELEK 7: RAVNANJE IN SKLADIŠČENJE

7.1 Varnostni ukrepi za varno ravnanje:

A.- Splošni varnostni ukrepi za varno uporabo

Comply with the current nacionalne zakonodaje concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness in dispose of using safe methods (section 6).

B.- Tehnična priporočila za preprečevanje požarov in eksplozij

In-Wash Perfume Oil Satin Sweetness

ODDELEK 7: RAVNANJE IN SKLADIŠČENJE (nadaljevanje)

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) in transfer at slow speeds to avoid the

creation of electrostatic charges. Consult section 10 for conditions in materials that should be avoided.

C.- Tehnična priporočila o splošni higieni na delovnem mestu

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Tehnična priporočila za preprečevanje tveganj za okolje

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Pogoji za varno skladiščenje, vključno z nezdružljivostmi:

A.- Posebne zahteve za skladiščenje

Najnižja temp.: 5 °C

Najvišja temp.: 35 °C

Najdaljši čas: 36 mesecev

B.- Splošni pogoji za skladiščenje

Avoid sources of heat, radiation, static electricity in contact with food. For additional information see subsection 10.5

7.3 Posebne končne uporabe:

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA

8.1 Parametri nadzora:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific nacionalne zakonodaje):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (delavci):

Identifikacija		Kratkotrajna izpostavljenost		Dolgotrajna izpostavljenost	
		Sistemeski	Lokalni	Sistemeski	Lokalni
Linalool CAS: 78-70-6 ES: 201-134-4	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	3,5 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	24,58 mg/m ³	Ni relevantno
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis in trans) CAS: 63500-71-0 ES: 405-040-6	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	41,7 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	44,1 mg/m ³	Ni relevantno
Benzil acetat CAS: 140-11-4 ES: 205-399-7	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	2,5 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	9 mg/m ³	Ni relevantno
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	2,5 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	2,75 mg/m ³	Ni relevantno
Methyl anthranilate CAS: 134-20-3 ES: 205-132-4	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	14 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	49,3 mg/m ³	Ni relevantno
2-ethyl-3-hydroxy-4-pyrone CAS: 4940-11-8 ES: 225-582-5	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	5,6 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	19,7 mg/m ³	Ni relevantno
Citronellol CAS: 106-22-9 ES: 203-375-0	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	327,4 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	10 mg/m ³	161,6 mg/m ³	10 mg/m ³
Eugenol CAS: 97-53-0 ES: 202-589-1	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	6 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	21,2 mg/m ³	Ni relevantno

- NADALJEVANJE NA NASLEDNJI STRANI -

In-Wash Perfume Oil Satin Sweetness

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)

Identifikacija		Kratkotrajna izpostavljenost		Dolgotrajna izpostavljenost	
		Sistemiški	Lokalni	Sistemiški	Lokalni
alpha-methyl-1,3-benzodioxole-5-propionaldehyde CAS: 1205-17-0 ES: 214-881-6	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,17 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	1,2 mg/m ³	Ni relevantno
d-limonene CAS: 5989-27-5 ES: 227-813-5	Oralno	Ni relevantno	Ni relevantno	Ni relevantno	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	9,5 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	66,7 mg/m ³	Ni relevantno

DNEL (splošno prebivalstvo):

Identifikacija		Kratkotrajna izpostavljenost		Dolgotrajna izpostavljenost	
		Sistemiški	Lokalni	Sistemiški	Lokalni
Linalool CAS: 78-70-6 ES: 201-134-4	Oralno	Ni relevantno	Ni relevantno	2,49 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	1,25 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	4,33 mg/m ³	Ni relevantno
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis in trans) CAS: 63500-71-0 ES: 405-040-6	Oralno	Ni relevantno	Ni relevantno	7,5 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	25 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	13 mg/m ³	Ni relevantno
Benzil acetat CAS: 140-11-4 ES: 205-399-7	Oralno	Ni relevantno	Ni relevantno	1,3 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	1,3 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	2,2 mg/m ³	Ni relevantno
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	Oralno	Ni relevantno	Ni relevantno	0,2 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	1,25 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	0,68 mg/m ³	Ni relevantno
Methyl anthranilate CAS: 134-20-3 ES: 205-132-4	Oralno	Ni relevantno	Ni relevantno	5 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	5 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	8,7 mg/m ³	Ni relevantno
2-ethyl-3-hydroxy-4-pyrone CAS: 4940-11-8 ES: 225-582-5	Oralno	Ni relevantno	Ni relevantno	2 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	2 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	3,48 mg/m ³	Ni relevantno
Citronellol CAS: 106-22-9 ES: 203-375-0	Oralno	Ni relevantno	Ni relevantno	13,8 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	196,4 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	10 mg/m ³	47,8 mg/m ³	10 mg/m ³
Eugenol CAS: 97-53-0 ES: 202-589-1	Oralno	Ni relevantno	Ni relevantno	3 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	3 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	5,22 mg/m ³	Ni relevantno
alpha-methyl-1,3-benzodioxole-5-propionaldehyde CAS: 1205-17-0 ES: 214-881-6	Oralno	Ni relevantno	Ni relevantno	0,17 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	0,083 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	0,29 mg/m ³	Ni relevantno
d-limonene CAS: 5989-27-5 ES: 227-813-5	Oralno	Ni relevantno	Ni relevantno	4,8 mg/kg	Ni relevantno
	Dermalno	Ni relevantno	Ni relevantno	4,8 mg/kg	Ni relevantno
	Vdihavanje	Ni relevantno	Ni relevantno	16,6 mg/m ³	Ni relevantno

PNES:

Identifikacija				
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	STP	10 mg/L	Sladka voda	0,2 mg/L
	Tla	2,5 mg/kg	Morska voda	0,2 mg/L
	Občasna	0,09 mg/L	Usedlina (sladka voda)	1,18316 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,1183 mg/kg
Linalool CAS: 78-70-6 ES: 201-134-4	STP	10 mg/L	Sladka voda	0,2 mg/L
	Tla	0,327 mg/kg	Morska voda	0,02 mg/L
	Občasna	2 mg/L	Usedlina (sladka voda)	2,22 mg/kg
	Oralno	0,0078 g/kg	Usedlina (morska voda)	0,222 mg/kg

In-Wash Perfume Oil Satin Sweetness

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)

Identifikacija				
1,4-dioxacycloheptadecane-5,17-dione CAS: 105-95-3 ES: 203-347-8	STP	124 mg/L	Sladka voda	0,00187 mg/L
	Tla	0,25 mg/kg	Morska voda	0,000187 mg/L
	Občasna	0,0187 mg/L	Usedlina (sladka voda)	1,26 mg/kg
	Oralno	0,0333 g/kg	Usedlina (morska voda)	0,13 mg/kg
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis in trans) CAS: 63500-71-0 ES: 405-040-6	STP	10 mg/L	Sladka voda	0,094 mg/L
	Tla	0,09 mg/kg	Morska voda	0,009 mg/L
	Občasna	0,94 mg/L	Usedlina (sladka voda)	0,412 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,041 mg/kg
Benzil acetat CAS: 140-11-4 ES: 205-399-7	STP	8,55 mg/L	Sladka voda	0,018 mg/L
	Tla	0,094 mg/kg	Morska voda	0,002 mg/L
	Občasna	0,04 mg/L	Usedlina (sladka voda)	0,526 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,053 mg/kg
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	STP	1 mg/L	Sladka voda	0,011 mg/L
	Tla	0,115 mg/kg	Morska voda	0,001 mg/L
	Občasna	0,11 mg/L	Usedlina (sladka voda)	0,609 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,061 mg/kg
Methyl anthranilate CAS: 134-20-3 ES: 205-132-4	STP	Ni relevantno	Sladka voda	0,0872 mg/L
	Tla	0,142 mg/kg	Morska voda	0,00872 mg/L
	Občasna	0,185 mg/L	Usedlina (sladka voda)	0,968 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,0968 mg/kg
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 ES: 225-193-0	STP	10 mg/L	Sladka voda	0,0033 mg/L
	Tla	0,016 mg/kg	Morska voda	0,00033 mg/L
	Občasna	Ni relevantno	Usedlina (sladka voda)	0,089 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,0089 mg/kg
2-ethyl-3-hydroxy-4-pyrone CAS: 4940-11-8 ES: 225-582-5	STP	1,55 mg/L	Sladka voda	0,0072 mg/L
	Tla	0,049 mg/kg	Morska voda	0,00072 mg/L
	Občasna	Ni relevantno	Usedlina (sladka voda)	0,269 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,027 mg/kg
Citronellol CAS: 106-22-9 ES: 203-375-0	STP	580 mg/L	Sladka voda	0,002 mg/L
	Tla	0,004 mg/kg	Morska voda	0 mg/L
	Občasna	0,024 mg/L	Usedlina (sladka voda)	0,026 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,003 mg/kg
Eugenol CAS: 97-53-0 ES: 202-589-1	STP	Ni relevantno	Sladka voda	0,00113 mg/L
	Tla	0,015 mg/kg	Morska voda	0,000113 mg/L
	Občasna	0,0113 mg/L	Usedlina (sladka voda)	0,081 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,008 mg/kg
alpha-methyl-1,3-benzodioxole-5-propionaldehyde CAS: 1205-17-0 ES: 214-881-6	STP	10 mg/L	Sladka voda	0,005 mg/L
	Tla	0,008 mg/kg	Morska voda	0,001 mg/L
	Občasna	0,053 mg/L	Usedlina (sladka voda)	0,057 mg/kg
	Oralno	Ni relevantno	Usedlina (morska voda)	0,006 mg/kg
d-limonene CAS: 5989-27-5 ES: 227-813-5	STP	1,8 mg/L	Sladka voda	0,014 mg/L
	Tla	0,763 mg/kg	Morska voda	0,0014 mg/L
	Občasna	Ni relevantno	Usedlina (sladka voda)	3,85 mg/kg
	Oralno	0,133 g/kg	Usedlina (morska voda)	0,385 mg/kg

8.2 Nadzor izpostavljenosti:

A.- Ukrepi osebne zaščite, kot je osebna zaščitna oprema

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of zaščita,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.



B.- Zaščita dihal

In-Wash Perfume Oil Satin Sweetness

ODDELEK 8: NADZOR IZPOSTAVLJENOSTI/OSEBNA ZAŠČITA (nadaljevanje)



If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory zaščita equipment chosen by a qualified professional should be used.

C.- Posebna zaščita rok



Piktogram	PPE	Označevanje	Standard CEN	Opombe
 Obvezna zaščita	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability in has therefore to be checked prior to the application.

D.- Zaščita oči in obraza



Piktogram	PPE	Označevanje	Standard CEN	Opombe
 Obvezna zaščita oči	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily in disinfect periodically according to the manufacturer 's instructions. Use if there is a risk of splashing.

E.- Zaščita telesa

Piktogram	PPE	Označevanje	Standard CEN	Opombe
	Delovna oblačila			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Nedrseča delovna obutev		EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Dodatni nujni ukrepi

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Nujni ukrep	Standardi	Nujni ukrep	Standardi
 Varnostni tuš	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Postaja za izpiranje oči	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Nadzor izpostavljenosti okolja:

To comply with environmental zaščita regulations, it is recommended to prevent any spillage of the product in its container. For more detailed information, please refer to subsection 7.1.D.

ODDELEK 9: FIZIKALNE IN KEMIJSKE LASTNOSTI

9.1 Podatki o osnovnih fizikalnih in kemijskih lastnostih:

Za popolne informacije glejte tehnični list izdelka.

Videz:

Fizikalno stanje pri 20 °C:

Tekočina

Videz:

Tekoče

Barva:

Svetlo rumena , Brezbarvna

Vonj:

Prijeten

Prag vonja:

Ni relevantno *

Hlapnost:

*Ni relevantno zaradi narave izdelka, ne zagotavlja informacij o lastnostih nevarnosti.

In-Wash Perfume Oil Satin Sweetness

ODDELEK 9: FIZIKALNE IN KEMIJSKE LASTNOSTI (nadaljevanje)

Vrelišče pri atmosferskem tlaku:	232 °C
Parni tlak pri 20 °C:	6 Pa
Parni tlak pri 50 °C:	50,9 Pa (0,05 kPa)
Hitrost izhlapevanja pri 20 °C:	Ni relevantno *
Opis izdelka:	
Gostota pri 20 °C:	1025,7 kg/m ³
Relativna gostota pri 20 °C:	1,026
Dinamična viskoznost pri 20 °C:	Ni relevantno *
Kinematična viskoznost pri 20 °C:	Ni relevantno *
Kinematična viskoznost pri 40 °C:	Ni relevantno *
Koncentracija:	Ni relevantno *
pH:	Ni relevantno *
Gostota par pri 20 °C:	Ni relevantno *
Porazdelitveni koeficient n-oktanol/voda pri 20 °C:	Ni relevantno *
Topnost v vodi pri 20 °C:	Ni relevantno *
Topnostne lastnosti:	Ni relevantno *
Temperatura razgradnje:	Ni relevantno *
Tališče/ledišče:	Ni relevantno *
Vnetljivost:	
Plamenišče:	87 °C
Vnetljivost (trdno, plin):	Ni relevantno *
Temperatura samovžiga:	110 °C
Spodnja meja vnetljivosti:	Ni relevantno *
Zgornja meja vnetljivosti:	Ni relevantno *
Značilnosti delcev:	
Mediana ekvivalentnega premera:	Ni relevantno *
9.2 Druge informacije:	
Informacije o razredih fizikalnih nevarnosti:	
Eksplzivne lastnosti:	Ni relevantno *
Oksidativne lastnosti:	Ni relevantno *
Jedko za kovine:	Ni relevantno *
Toplota zgorevanja:	Ni relevantno *
Aerosoli – skupni odstotek (mase) vnetljivih sestavin:	Ni relevantno *
Druge varnostne značilnosti:	
Površinska napetost pri 20 °C:	Ni relevantno *
Lomni količnik:	Ni relevantno *

*Ni relevantno zaradi narave izdelka, ne zagotavlja informacij o lastnostih nevarnosti.

ODDELEK 10: OBSTOJNOST IN REAKTIVNOST

10.1 Reaktivnost:

Ne hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Kemijska obstojnost:

Chemically stable under the indicated conditions of storage, handling in use.

10.3 Možnost nevarnih reakcij:

- NADALJEVANJE NA NASLEDNJI STRANI -

In-Wash Perfume Oil Satin Sweetness

ODDELEK 10: OBSTOJNOST IN REAKTIVNOST (nadaljevanje)

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Pogoji, ki se jim je treba izogniti:

Applicable for handling in storage at room temperature:

Udarec in trenje	Stik z zrakom	Dvig temperature	Sončna svetloba	Vlažnost
Ni relevantno	Ni relevantno	Previdnost	Previdnost	Ni relevantno

10.5 Nezdružljivi materiali:

Kislina	Voda	Oksidativni materiali	Vnetljivi materiali	Ostalo
Izogibajte se močnim kislina	Ni relevantno	Izogibajte se neposrednemu udarcu	Ni relevantno	Izogibajte se alkalijam ali močnim bazam

10.6 Nevarni produkti razgradnje:

Vsebuje substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

ODDELEK 11: TOKSIKOLOŠKI PODATKI

11.1 Informacije o razredih nevarnosti, opredeljenih v Uredbi (ES) št. 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Nevarnoos health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Zaužitje (akutni učinek):

- Akutna strupenost: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Vdihavanje (akutni učinek):

- Akutna strupenost : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Stik s kožo in očmi (akutni učinek):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Causes serious eye irritation.

D- Učinki CMR (rakotvornost, mutagenost in strupenost za razmnoževanje):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: Benzil acetat (3); Eugenol (3); d-limonene (3); Indole (2B)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Preobčutljivostni učinki:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Koža: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specifična strupenost za ciljne organe (STOT) – enkratna izpostavljenost:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specifična strupenost za ciljne organe (STOT) – ponavljajoča izpostavljenost:

In-Wash Perfume Oil Satin Sweetness

ODDELEK 11: TOKSIKOLOŠKI PODATKI (nadaljevanje)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Koža: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Nevarnost pri vdihavanju:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Druge informacije:

Ni relevantno

Specifične toksikološke informacije o snoveh:

Identifikacija	Akutna strupenost		Vrsta
Linalool CAS: 78-70-6 ES: 201-134-4	LD50 oralno	3500 mg/kg	Podgana
	LD50 dermalno	5610 mg/kg	Kunec
	LC50 vdihavanje (hlapi)		
Benzil acetat CAS: 140-11-4 ES: 205-399-7	LD50 oralno	2490 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	LD50 oralno	14500 mg/kg	Podgana
	LD50 dermalno	5610 mg/kg	Kunec
	LC50 vdihavanje (hlapi)		
Methyl anthranilate CAS: 134-20-3 ES: 205-132-4	LD50 oralno	2910 mg/kg	Podgana
	LD50 dermalno	5100 mg/kg	Kunec
	LC50 vdihavanje dust		
Hexyl cinnamaldehyde CAS: 101-86-0 ES: 202-983-3	LD50 oralno	3100 mg/kg	Podgana
	LD50 dermalno	3000 mg/kg	Kunec
	LC50 vdihavanje (hlapi)		
Undecan-4-olide CAS: 104-67-6 ES: 203-225-4	LD50 oralno	18500 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 ES: 225-193-0	LD50 oralno	>5000 mg/kg	Podgana
	LD50 dermalno	>5000 mg/kg	Podgana
	LC50 vdihavanje dust		
2-ethyl-3-hydroxy-4-pyrone CAS: 4940-11-8 ES: 225-582-5	LD50 oralno	1200 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje dust		
Citronellol CAS: 106-22-9 ES: 203-375-0	LD50 oralno	3450 mg/kg	Podgana
	LD50 dermalno	2650 mg/kg	
	LC50 vdihavanje (hlapi)		
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	LD50 oralno	7000 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		
Eugenol CAS: 97-53-0 ES: 202-589-1	LD50 oralno	2300 mg/kg	Podgana
	LD50 dermalno	>5000 mg/kg	
	LC50 vdihavanje (hlapi)		
alpha-methyl-1,3-benzodioxole-5-propionaldehyde CAS: 1205-17-0 ES: 214-881-6	LD50 oralno	3550 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		
d-limonene CAS: 5989-27-5 ES: 227-813-5	LD50 oralno	4400 mg/kg	Podgana
	LD50 dermalno	>5000 mg/kg	Kunec
	LC50 vdihavanje (hlapi)		
(z)-hex-3-enyl benzoate CAS: 25152-85-6 ES: 246-669-4	LD50 oralno	>5000 mg/kg	Podgana
	LD50 dermalno		
	LC50 vdihavanje (hlapi)		

- NADALJEVANJE NA NASLEDNJI STRANI -

In-Wash Perfume Oil Satin Sweetness

ODDELEK 11: TOKSIKOLOŠKI PODATKI (nadaljevanje)

11.2 Informacije o drugih nevarnostih:

Lastnosti endokrinih motilcev

Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

Druge informacije

Ni relevantno

ODDELEK 12: EKOLOŠKI PODATKI

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Strupenost:

Akutna strupenost:

Identifikacija	Koncentracija		Vrsta	Vrsta
	LC50	EC50		
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	LC50	16700 mg/L (96 h)	Pimephales promelas	Ribe
	EC50	Ni relevantno		
	EC50	Ni relevantno		
1,4-dioxacycloheptadecane-5,17-dione CAS: 105-95-3 ES: 203-347-8	LC50	>10 - 100 mg/L (96 h)		Ribe
	EC50	>10 - 100 mg/L (48 h)		Raki
	EC50	>10 - 100 mg/L (72 h)		Alge
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis in trans) CAS: 63500-71-0 ES: 405-040-6	LC50	Ni relevantno		
	EC50	320 mg/L (48 h)	Daphnia magna	Raki
	EC50	Ni relevantno		
Benzil acetat CAS: 140-11-4 ES: 205-399-7	LC50	Ni relevantno		
	EC50	17 mg/L (48 h)	Daphnia magna	Raki
	EC50	110 mg/L (72 h)	Desmodesmus subspicatus	Alge
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	LC50	11 mg/L (96 h)	Cyprinus carpio	Ribe
	EC50	15 mg/L (48 h)	Daphnia magna	Raki
	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Alge
Methyl anthranilate CAS: 134-20-3 ES: 205-132-4	LC50	9,12 mg/L (96 h)	Lepomis macrochirus	Ribe
	EC50	18,2 mg/L (48 h)	Daphnia magna	Raki
	EC50	Ni relevantno		
Undecan-4-olide CAS: 104-67-6 ES: 203-225-4	LC50	>10 - 100 mg/L (96 h)		Ribe
	EC50	>10 - 100 mg/L (48 h)		Raki
	EC50	>10 - 100 mg/L (72 h)		Alge
Hexyl cinnamaldehyde CAS: 101-86-0 ES: 202-983-3	LC50	>0.1 - 1 mg/L (96 h)		Ribe
	EC50	>0.1 - 1 mg/L (48 h)		Raki
	EC50	>0.1 - 1 mg/L (72 h)		Alge
Eugenol CAS: 97-53-0 ES: 202-589-1	LC50	60,8 mg/L (96 h)	Oncorhynchus mykiss	Ribe
	EC50	Ni relevantno		
	EC50	Ni relevantno		
alpha-methyl-1,3-benzodioxole-5-propionaldehyde CAS: 1205-17-0 ES: 214-881-6	LC50	5,3 mg/L (96 h)	Oncorhynchus mykiss	Ribe
	EC50	8 mg/L (48 h)	Daphnia magna	Raki
	EC50	28 mg/L (72 h)	Pseudokirchneriella subcapitata	Alge
Siloxanes in Silicones, dimethyl, 3-[3-[(3-coco amidopropyl)dimethylammonio]- 2-hydroxypropoxy]propyl group-terminated, acetates (salts) CAS: 134737-05-6 ES: Ni relevantno	LC50	>0.1 - 1 mg/L (96 h)		Ribe
	EC50	>0.1 - 1 mg/L (48 h)		Raki
	EC50	>0.1 - 1 mg/L (72 h)		Alge
d-limonene CAS: 5989-27-5 ES: 227-813-5	LC50	0,702 mg/L (96 h)	Pimephales promelas	Ribe
	EC50	0,577 mg/L (48 h)	Daphnia magna	Raki
	EC50	Ni relevantno		

In-Wash Perfume Oil Satin Sweetness

ODDELEK 12: EKOLOŠKI PODATKI (nadaljevanje)

Identifikacija	Koncentracija		Vrsta	Vrsta
	LC50	Ni relevantno		
(z)-hex-3-enyl benzoate CAS: 25152-85-6 ES: 246-669-4	EC50	1,5 mg/L (48 h)	Daphnia magna	Raki
	EC50	1,3 mg/L (72 h)	Pseudokirchneriella subcapitata	Alge

Kronična strupenost:

Identifikacija	Koncentracija		Vrsta	Vrsta
	NOEC	Ni relevantno		
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	NOEC	10 mg/L	Daphnia magna	Raki
1,4-dioxacycloheptadecane-5,17-dione CAS: 105-95-3 ES: 203-347-8	NOEC	0,088 mg/L	Daphnia magna	Raki
Benzil acetat CAS: 140-11-4 ES: 205-399-7	NOEC	0,92 mg/L	Oryzias latipes	Ribe
	NOEC	Ni relevantno		

12.2 Obstojnost in razgradljivost:

Specifične informacije o snovi:

Identifikacija	Razgradljivost		Biorazgradljivost	
	BOD5	Ni relevantno	Koncentracija	100 mg/L
Linalool CAS: 78-70-6 ES: 201-134-4	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	90 %
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis in trans) CAS: 63500-71-0 ES: 405-040-6	BOD5	Ni relevantno	Koncentracija	10 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	10 %
Benzil acetat CAS: 140-11-4 ES: 205-399-7	BOD5	Ni relevantno	Koncentracija	10 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	100 %
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	BOD5	Ni relevantno	Koncentracija	81 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	80 %
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 ES: 225-193-0	BOD5	Ni relevantno	Koncentracija	100 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	59 %
alpha-methyl-1,3-benzodioxole-5-propionaldehyde CAS: 1205-17-0 ES: 214-881-6	BOD5	Ni relevantno	Koncentracija	100 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	65 %
d-limonene CAS: 5989-27-5 ES: 227-813-5	BOD5	Ni relevantno	Koncentracija	10 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	71,4 %
(z)-hex-3-enyl benzoate CAS: 25152-85-6 ES: 246-669-4	BOD5	Ni relevantno	Koncentracija	2 mg/L
	COD	Ni relevantno	Obdobje	28 dni
	BOD5/COD	Ni relevantno	% biorazgradljivo	88 %

12.3 Zmožnost kopičenja v organizmih:

Specifične informacije o snovi:

Identifikacija	Potencial bioakumulacije	
	BCF	Pow Log
2,2-dimethyl-1,3-dioxolan-4-ylmetanol CAS: 100-79-8 ES: 202-888-7	BCF	1
	Pow Log	
	Potencial	Nizek
Linalool CAS: 78-70-6 ES: 201-134-4	BCF	
	Pow Log	2.97
	Potencial	
Benzil acetat CAS: 140-11-4 ES: 205-399-7	BCF	8
	Pow Log	1.96
	Potencial	Nizek

In-Wash Perfume Oil Satin Sweetness

ODDELEK 12: EKOLOŠKI PODATKI (nadaljevanje)

Identifikacija	Potencial bioakumulacije	
	BCF	Pow Log
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	174	3.9
Methyl anthranilate CAS: 134-20-3 ES: 205-132-4	6	1.88
Hexyl cinnamaldehyde CAS: 101-86-0 ES: 202-983-3	17	Nizek
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 ES: 225-193-0	232	Visok
Eugenol CAS: 97-53-0 ES: 202-589-1	31	2.27
alpha-methyl-1,3-benzodioxole-5-propionaldehyde CAS: 1205-17-0 ES: 214-881-6	2.4	
d-limonene CAS: 5989-27-5 ES: 227-813-5	4.83	

12.4 Mobilnost v tleh:

Identifikacija	Absorpcija/desorpcija		Hlapnost	
	Koc	Henry	Suha tla	Vlažna tla
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis in trans) CAS: 63500-71-0 ES: 405-040-6	42	Henry	1,71E-3 Pa·m ³ /mol	
	Sklep	Zelo visok	Suha tla	Ni relevantno
	Površinska napetost	Ni relevantno	Vlažna tla	Ni relevantno
Benzil acetat CAS: 140-11-4 ES: 205-399-7	Ni relevantno	Henry	Ni relevantno	
	Sklep	Ni relevantno	Suha tla	Ni relevantno
	Površinska napetost	3,558E-2 N/m (25 °C)	Vlažna tla	Ni relevantno
Linalyl acetate CAS: 115-95-7 ES: 204-116-4	518	Henry	177 Pa·m ³ /mol	
	Sklep	Nizek	Suha tla	Da
	Površinska napetost	Ni relevantno	Vlažna tla	Da
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 ES: 225-193-0	235	Henry	1,1E-2 Pa·m ³ /mol	
	Sklep	Moderate	Suha tla	Ni relevantno
	Površinska napetost	Ni relevantno	Vlažna tla	Ni relevantno
alpha-methyl-1,3-benzodioxole-5-propionaldehyde CAS: 1205-17-0 ES: 214-881-6	71	Henry	Ni relevantno	
	Sklep	Zelo visok	Suha tla	Ni relevantno
	Površinska napetost	Ni relevantno	Vlažna tla	Ni relevantno
d-limonene CAS: 5989-27-5 ES: 227-813-5	6324	Henry	2533,13 Pa·m ³ /mol	
	Sklep	Immobile	Suha tla	Da
	Površinska napetost	2,675E-2 N/m (25 °C)	Vlažna tla	Da

12.5 Rezultati ocene PBT in vPvB:

Izdelek ne izpolnjuje meril PBT/vPvB

12.6 Lastnosti endokrinih motilcev:

Lastnosti endokrinih motilcev: Izdelek ne izpolnjuje meril.

12.7 Drugi škodljivi učinki:

Ni opisano

ODDELEK 13: ODSTRANJEVANJE

13.1 Metode ravnanja z odpadki:

In-Wash Perfume Oil Satin Sweetness

ODDELEK 13: ODSTRANJEVANJE (nadaljevanje)

Koda	Opis	Razred odpadka (Uredba (EU) št. 1357/2014)
20 01 29*	detergents containing hazardous substances	Hazardous

Vrsta odpadka (Uredba (EU) št. 1357/2014):

HP14 Ecotoxic, HP4 Irritant – skin irritation in eye damage

Ravnanje z odpadki (odstranjevanje in ocena):

Consult the authorized waste service manager on the assessment in disposal operations in accordance with Annex 1 in Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Predpisi o ravnanju z odpadki:

In accordance with Annex II of Regulation (EC) Ne 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community nacionalne zakonodaje: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) Ne 1357/2014

ODDELEK 14: PODATKI O PREVOZU

Ta izdelek ni reguliran za prevoz (ADR/RID, IMDG, IATA)

ODDELEK 15: ZAKONSKO PREDPISANI PODATKI

15.1 Safety, health in environmental regulations/nacionalne zakonodaje specific for the substance or mixture:

- Article 95, REGULATION (EU) Ne 528/2012: Ni relevantno
- Candidate substances for authorisation under the Regulation (EC) Ne 1907/2006 (REACH): Ni relevantno
- Regulation (EU) 2019/1021 on persistent organic pollutants: Ni relevantno
- Regulation (EU) Ne 2024/590, about substances that deplete the ozone layer: Ni relevantno
- REGULATION (EU) Ne 649/2012, in relation to the import in export of hazardous chemical products: Ni relevantno - Substances included in Annex XIV of REACH ("Authorisation List") in sunset date: Ni relevantno

Uredba (ES) št. 648/2004 o detergentih:

V skladu s to uredbo izdelek ustreza naslednjemu:

The tensoactives contained in this mixture comply with the biodegradability criteria stipulated in Regulation (EC) n°648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States in will be shown to them by direct request or the request of a detergent manufacturer.

Označevanje vsebine:

Sestavina	Koncentracija interval
Nen-ionic surfactants	% (w/w) < 5
dišave	

Allergenic fragrances: (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (TRANS-ROSE KETONE 1), Citronellol (CITRONELLOL), d-limonene (LIMONENE), Eugenol (EUGENOL), Geraniol (GERANIOL), Geranyl acetate (GERANYL ACETATE), Hexyl cinnamaldehyde (HEXYL CINNAMAL), Lemon oil (CITRUS LIMON PEEL OIL), Linalool (LINALOOL), Linalyl acetate (LINALYL ACETATE), Methyl salicylate (METHYL SALICYLATE), Orange, sour, ext. (CITRUS AURANTIUM AMARA PEEL OIL), Pin-2(10)-ene (PINENE), Pin-2(3)-ene (PINENE).

Omejitve trženja in uporabe nekaterih nevarnih snovi in zmesi (Priloga XVII REACH, itd.):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps in ashtrays,

—tricks in jokes,

—games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Vsebuje Indole. From 1 January 2010, extender oils shall not be placed on the market, or used for the production of tyres or parts of tyres if they contain:

— more than 1 mg/kg (0,0001 % by weight) BaP, or,

— more than 10 mg/kg (0,001 % by weight) of the sum of all listed PAHs.

Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the

In-Wash Perfume Oil Satin Sweetness

ODDELEK 15: ZAKONSKO PREDPISANI PODATKI (nadaljevanje)

listed PAHs.

Toys, including activity toys, in childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.

By way of derogation from paragraphs 5 in 6, these paragraphs shall not apply to articles placed on the market for the first time before 27 December 2015.

Posebne določbe o varovanju ljudi ali okolja:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage in disposal of this product.

Other nacionalne zakonodaje:

The product could be affected by sectorial nacionalne zakonodaje

- Regulation (EC) Ne 1223/2009 of the European Parliament in of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) Ne 648/2004 of the European Parliament in of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) Ne 907/2006 of 20 June 2006 amending Regulation (EC) Ne 648/2004 of the European Parliament in of the Council on detergents, in order to adapt Annexes III in VII
- Commission Regulation (EC) Ne 551/2009 of 25 June 2009 amending Regulation (EC) Ne 648/2004 of the European Parliament in of the Council on detergents, in order to adapt Annexes V in VI thereto (surfactant derogation)

15.2 Ocena kemijske varnosti:

Dobavitelj ni izvedel ocene kemijske varnosti.

ODDELEK 16: DRUGI PODATKI

Zakonodaja o varnostnih listih:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) Ne 1907/2006

(COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Ni relevantno

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes in refer to the individual components which appear in section 3

Uredba CLP (ES) št. 1272/2008:

Acute Tox. 4: H302 - Zdravju škodljivo pri zaužitju.

Aquatic Acute 1: H400 - Zelo strupeno za vodne organizme.

Aquatic Chronic 2: H411 - Strupeno za vodne organizme, z dolgotrajnimi učinki.

Eye Irrit. 2: H319 - Povzročča hudo draženje oči.

Flam. Liq. 3: H226 - Vnetljiva tekočina in hlapi.

Repr. 2: H361 - Sum škodljivosti za plodnost ali nerojenega otroka.

Skin Irrit. 2: H315 - Povzročča draženje kože.

Skin Sens. 1B: H317 - Lahko povzroči alergijski odziv kože.

Postopek razvrstitve:

Eye Irrit. 2: Calculation method

Skin Sens. 1B: Calculation method

Aquatic Chronic 3: Calculation method

Nasveti glede usposabljanja:

Training is recommended in order to prevent industrial risks for staff using this product in to facilitate their comprehension in interpretation of this safety data sheet, as well as the label on the product.

Glavni bibliografski viri:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

Okrajšave in kratice:

In-Wash Perfume Oil Satin Sweetness

ODDELEK 16: DRUGI PODATKI (nadaljevanje)

ADR: Evropski sporazum o mednarodnem cestnem prevozu nevarnega blaga IMDG: Mednarodni kodeks za nevarno blago v pomorskem prometu

IATA: Mednarodno združenje za letalski prevoz

ICAO: Mednarodna organizacija civilnega letalstva

COD: Kemijska potreba po kisiku

BOD5: 5-dnevna biokemijska potreba po kisiku

BCF: Bioakumulacijski faktor

LD50: Smrtni odmerek 50

LC50: Smrtna koncentracija 50

EC50: Efektivna koncentracija 50

LogPOW: Porazdelitveni koeficient oktanol-voda

Koc: Porazdelitveni koeficient organskega ogljika

UFI: Enolični identifikator formule

IARC: Mednarodna agencija za raziskave raka

The information contained in this safety data sheet is based on sources, technical knowledge in current nacionalne zakonodaje at European in state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology in conditions for users of this product are not within our awareness or control, in it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use in disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- KONEC VARNOSTNEGA LISTA -